

Send original copy by certified mail to the

State of Texas WATER WELL REPORT

For TDWR use or	nly
Well No. 64-0	
Located on man	yes

Well No.	64-0	<u>7 · .</u>	2 H
Located	on map_	yes	

Te is Department of Water Resources P. O. Box 13087 Austin, Texas 78711	: ATTENTION		R: Confidenti					verse Side	Lo Re	ocated on map eceived:	1es C·F·S	•
1) OWNER GOLDRUS DA	lame) `		Address//	(Str	eet or	RFD))	(<u>BROU:</u> (City)	SSARD /	LA 970	15/3
2) LOCATION OF WELL: County JETTERSON		2	miles in	(N.E.	<u>SE</u> ., s.w.	<u>;</u> , etc.)	directi	on from	CH	(Town)		
Driller must complete the legal descrip with distance and direction from two tion or survey lines, or he must locate	intersecting sec- and identify the			No						ip		
well on an official Quarter- or Half-Sca General Highway Map and attach the r	ale Texas County map to this form.		Distance	and d	irectio	n from	m two interse	cting section	or surve	y lines		
	T		See attach	ed ma	р.							
3) TYPE OF WORK (Check): New Well Deepening	4) PROPOSED Domestic		eck): ·ial □ Public Si	vlaqu			DRILLING N			Driven □ Bo	red	
☐ Reconditioning ☐ Plugging	1		ell 🗆 Other 👝							Jetted 🗆 Otl		
6) WELL LOG:		TER OF H	HOLE To (ft.)		BORE Dpe		E COMPLET	ION: 4Straig ht W	/all	☐ Unde	erreamed	
Date drilled	63/4	Surface	155		☐ Grav	vel Pa	cked	Other _				
				1	If G	ravei	Packed give ii	nterval fro	om	ft. to		ft.
From To (ft.)	Description and o	color of fo terial	ormation	8) (CASIN	IG, B	LANK PIPE,	AND WELL	SCREEN	N DATA:		
140 155	ela	2		Dia. (in.)	New or Used		Steel, Plastic Perf., Slotted		.	Setting (Gage Casing
780 733		rG		49	Na	W	Ples	~0.1	,	From	140	Screen Sc.
				400	Na	4	Ples	xic So	Heat	180	155	,00
		-								-		
					L	<u> </u>		CEMENTII	NG DAT	·A		ļ
							om	-	ft. to	10		ft.
					Method Cement			ohn E	R	4,30		
				9)	WAT	ER L	EVEL:	(Comp	any or I	ndividual)		
				1	Static	level	23	ft. below land	l surface	Date	12/8	4_
					Artesi	ian flo	ow	gpm.		Date		
				10)	PACK	KERS	3:	Type	De	pth		-
	F) E	<u>n e 1</u>	WEG									
		<u> நட்</u> ப	VE									
	A	PR 16	1984	1	TYPE					,		
	D	EPT. C)F		J Turb] Othe	oine er	Trt		mersible	. LC	/linder 	
(Use reverse s	ide if necessary	RESC	URCES	□	epth t	o pur	mp bowls, cyl	inder, jet, etc	;.,	140	ft.	
Did you knowingly penetrate any water?	-strata which cont	tained und	esirable	12)	WELI	L TES	STS:	· · · · · · · · · · · · · · · · · · ·				
If yes, submit "REPORT OF UNITYPE of water?							:: 🗆 Pum	•		Jetted [rawdown after	Estimate	
	☐ Yes			<u></u>			5F···					
,	I hereby certify each and all of the											
NAME JOHN E. BR	YSON Print)		Water Well	Drillers	s Regis	stratio	on No	3/5		·		
ADDRESS P.D. Box . //8									_		_	
(Street or RFD	3		<i>K//V</i> (Cit	<u> </u>			TE	XAS (State)		(Zip)		
(Signed) (Street or RFD	or Well Driller)		///// (Cit				TE NATER		<u>L S</u>	ERYICE		



The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).



Please use black ink.
Send original copy by
certified mail to the
Texas Water Commission
P.O. Box 13087
Austin, Texas 78711

, Tri in

State of Texas WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711


1) OWNER FIRST ENER	ZGY CORP.	Address LG	676	GR	EENSF	OINT PR	Dre Ste	200 Hc	Tx 71	060				
2) LOCATION OF WELL:	_					direction from		ek	e) (Zip	·)				
			(N.E	., S.W.,	etc.)			(Town)						
Driller must complete the legal descr with distance and direction from two tion or survey lines, or he must locat well on an official Quarter- or Half-Si General Highway Map and attach the	o intersecting sec- e and identify the cale Texas County	Abstract	ion NoBlock NoTownship tract NoSurvey Name ance and direction from two intersecting section or survey lines tached map.											
3) TYPE OF WORK (Check):	4) PROPOSED USE (Check		ied ma	р.		E) DRULING	METHOD	(Ob Is)		t				
New Well □ Deepening □ Reconditioning □ Plugging	□ Domestic □ Industrial □ Irrigation □ Test Well	☐ Monitor ☐	•											
6) WELL LOG: Date Drilling: Started MAY 11 19 69 Completed 554ME 19	DIAMETER OF H Dia. (in.) From (ft.)	To (ft.)	7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other											
From To (ft.) (ft.)	Description and color of fo	rmation	8)	CASIN	G, BLANK	C PIPE, AND WE	LL SCREE	N DATA:						
0 /60 /60 205 205 210	Clay Fine		Dia. (in.)	New or Used	Steel, Perf.,	Plastic, etc. Slotted, etc. Mgf., if comm		Setting (ft.) To 2.30	Gage Casing Screen				
210 250	Send (Low	se)	411	Na	· 7	lask'c	Sottes	230	250	016				
		7												
·				Cement Method	ed from _ - Lused	ft. toft. to	/5ft.	No. of Sacks						
	D) ECEIV		10) SURFACE COMPLETION Specified Surface Slab Installed [Rule 319.44(c)] Pitless Adapter Used [Rule 319.44(d)] Approved Alternative Procedure Used [Rule 319.71]											
	JUL 5 198		11) WATER LEVEL: Static levelft. below land surface Date											
	VEWS WAVER COMM	، ئى. ئۆلەر، سامىرى	12)	PACK	ERS:	T	уре	Dep	oth					
	side if necessary)] Turbi] Other	Jel	□ Jet □ ### Jet □ #	Submersible	: □c,	/linder ft.					
Did you knowingly penetrate an water? Yes No If yes, submit "REPORT OF UN Type of water? Was a chemical analysis made?	IDESIRABLE WATER"	esirable	14)	Туре		☐ Pump ☐ gpm with			Estimated					
COMPANY NAME SL W	ell was drilled by me (or under derstand that failure to composite the second s		u 12 w	ill resu	It in the lo	g(s) being return			•					
	213 D)	WII.	<u> </u>	IE		TX	tate)	7766	5					
(Signed) # 5 1 40		(Sign	ed)		_									
Please attach electric log, chemical an	Water Well Driller) alysis, and other pertinent inf	formation, if av	ailable		Registered	Driller Trainee)		TWC use only No	07-2					

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING PRIVILEGE OF CONFIDENTIALITY

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.



##3

Please use black ink.
Send original copy by
certified mail to the
Texas Water Commission
P.O. Box 13087
Austin, Texas 79711

State of Texas WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

\$.

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

-7									
1) OWNER VAN	SANT	A .1.*				CHEEL	K YX		
1) OWNER WAN	(Name)	Address	(Str	eet or I	RFD)	(City)	(State)	(Zip)
2) LOCATION OF WELL:	2 V								• • •
County, TEFFENSON		miles in	<u>7.</u>	<u>E.</u>	-4- \	_ direction from	EN HIW.	4 /Z	<u> </u>
•	-		(N.E	., S.W.,	etc.)		(Town)		
		Legal descr	rintion	1:					
Driller must complete the legal descr	iption to the right	•	•		RI.	ock No Towns	hin		
with distance and direction from two	intersecting sec-						•		
tion or survey lines, or he must locat well on an official Quarter- or Half-S		Abstract	No			Survey Name			
General Highway Map and attach the		Distance	and d	irection	from two	o intersecting section or surv	ey lines		
		<i>/</i>							
		See attach	ed ma	p.					
3) TYPE OF WORK (Check):	4) PROPOSED USE (Chec	:k):				5) DRILLING METHOD	(Check):	Dr	iven
☐ New Well ☐ Deepening	☐ Domestic ☐ Industrial	•	الماناه (in Cun-	iv	☐ Mud Rotary ☐ Air			
_						·			
☐ Reconditioning ☐ Plugging	☐ Irrigation ☐ Test Well	☐ Injection ☐	Othe	r		☐ Air Rotary ☐ Cab	le Tool 🗆 Othe	r	
6) WELL LOG:	DIAMETER OF	HOLE	7)	BORE	HOLE CO	MPLETION:			
Date Drilling:	Dia. (in.) From (ft.)	To (ft.)	1 '	☐ Oper		Straight Wall	☐ Under	reamed	
Started 9 / 2 1989	アダ Surface	80	1		el Packed	-			
Completed 9/3 1989	45 80	110] '			ed give interval from			£4
Completed1929		- / / / 3	1	IT Gr	aver Packe	eu give interval from	ft. to _		it.
F 7	Description of the second	1	 			<u>.</u>			
From To (ft.)	Description and color of f material	ormation	8)	CASIN	G, BLANI	K PIPE, AND WELL SCREE	N DATA:		
			 	Ţ., ¬	a	I Diam's	0	,	6
0 17	DANK CLAY		Dia.	New		I, Plastic, etc. , Slotted, etc.	Setting (ft	.1	Gage Casing
17 28	Brown Fine s		(in.)	Used		en Mgf., if commercial	From	То	Screen
28 80	BIVE C/44	-	U	n	D	INITE	<u> </u>	70	
64 CI			4	+		43/1-		1 /	0
30 71	· .	ud OSTER	1	n	7/	45tic	80 1	65	0
47-774	SHEII		ļ	\perp					
9/ 70/14	MIXEU FINE :	sand							
114 145	BIVE CLAY	,	L						L -
145 165	COANCE WHITE		91	CEME	NTING DA	ATA [Rule 319.44(b)]			
V 4-1	THE COURT OF THE C					ft. toft	No. of Socks	Used 4	1
		· · · · · · · · · · · · · · · · · · ·	1	CITIE!!		ft. toft			
			1			SAKKENE	or odens		
		 							
			1	Cemen	ted by	HAROLD BOWN	92		
			<u> </u>		···	· · · · · · · · · · · · · · · · · · ·			
	·					MPLETION			
			1	Spe	cified Sur	face Slab Installed (Rule 31	9.44(c)]		
			1	□ Pitl	ess Adapte	er Used [Rule 319.44(d)]			
					•	ternative Procedure Used [R	ule 319.711		
	-		<u> </u>	ripi					
· · · · · · · · · · · · · · · · · · ·	<u></u>	-	11)	WATE	R LEVEL	_:			
D						_			
in		111:	1	Sta	tic level	ft. below land s	urface Date_ _9	12/8	7.
			1			gpm.	Date		
	NOV 2 1989	-	10'			Type	D		
			12)	PACK	EH9:	ıype	Dept	.11	
			ļ						
<u> </u>	LAES WATER COMMIS	1012							
			13)	TYPE	PUMP:				
		·	1 .	⊐ Turb		☐ Jet	ole 🗆 Cyl	inder	
			1.			•	ne ⊔ Cyl	uel	
					er		/		
(Use reverse	e side if necessary)	. —	۱ ا	Depth t	o pump b	owls, cylinder, jet, etc.,	00	ft.	
15) WATER QUALITY:			<u> </u>						
Did you knowingly penetrate	ny strata which contained ur	desirable	14)	WEL	L TESTS:				
water? 🗆 Yes 🗷 No				Type	e Test:	☐ Pump ☐ Bailer	☐ Jetted	Estimate	d
If yes, submit "REPORT OF U			1			gpm withft.			
Type of water?			l	Yield	i:	gpm withft.	arawdown after	nr hr	5.
Was a chemical analysis made?	∟ res ∟ = No		<u> </u>						
I here by certify that this	well was drilled by me (or un	der my supervisia	on) an	d that	each and a	all of the statements herein a	are true to the bes	t of my	
	nderstand that failure to com								
_									
COMPANY NAME /SAW M	AN WATER IN	Ell Water M	jeli D.	rillar'e l	iconea Na	2147			
COMPANY NAME BOWM	or Print)	Water W	וט ווט.			·· ——			
							771	10	
ADDRESS 4670 Mod		- <i>V</i> /	40/			//.	//6/	d	
, , , , , , , , , , , , , , , , , , , ,	-,	,	• •			(State)	(ZIP)		
(Signed) Harle Do	uno	(Siar	reď)_						
(License	d Water Well Driller)				(Registere	ed Driller Trainee) Fo	r TWC use only II No. ムサーの	2 -	
Please attach electric log, chemical a	nalysis, and other pertinent i	nformation, if av	ailabl	e.		We	II No. <u>64-0</u> cated on map	1-00	
i -						LO		•	


IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING PRIVILEGE OF CONFIDENTIALITY

_¢

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.'

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.



19mi S/NL 19mi W/EL

Please use black ink.
Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087
Austin, Texas 78711

State of Texas

WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

										
1) OWNER MR. J. B. A.	ques/		Address	12	B	x 2761	Beaumo	nt lx	7700	95
	ame)	LoBu	e Kel	(Stre	eet or	ŘFD)	(City)	(State)	(Zip))
County Jefferson	z8_		miles in		Q	2 SW direct	tion from Bea	mont	<u>. </u>	
				(N.E.,	, s.w.,	, etc.)		(Town)		
			☐ Legal descr							
Driller must complete the legal descript with distance and direction from two it	ntersecting sec-						o Towns			
tion or survey lines, or he must locate a well on an official Quarter- or Half-Scal							ey Name			
General Highway Map and attach the m			Distance	and di	rectio	n from two inter	secting section or surv	vey lines		
		12	See attache	ed map).					
3) TYPE OF WORK (Check):	4) PRØPOSED U	ISE (Check	().			5) DRILLING	METHOD (Check):			
☐ New Well ☐ Deepening	☐ Domestic ☐			nnly	٠.		y ☐ Air Hammer ☐	Driven D Bor	ad	
☐ Reconditioning ☐ Plugging	☐ Irrigation ☐						☐ Cable Tool			
6) WELL LOG:	DIAMETE					HOLE COMPLE		Joetted Liberty		
1		m (ft.)	To (ft.)			n Hole	Straight Wall	☐ Under	rreamed	
June 23 1984	4/2 Su	rface	143			el Packed	Other			
Date drilled					If Gr	avel Packed give	interval from			
From To (ft.) (ft.)	Description and colomateri		ation	8) (CASIN	G, BLANK PIPE	, AND WELL SCREE	N DATA:		
A 120	2/2			D:-	New	Steel, Plast	ic, etc.	Setting (f	t.)	Gage
0 /53	- Clay	no //		Dia. (in.)	or Used	Perf., Slott				Casing
-133 145	- Sund (mad C	oars 4)	74	03ed	Screen wigh	Z.	From	To	Screen
	<u> </u>			200	1/2	of glass	10/201	133	55	2440
				<u>ر</u> ر	jva	J. Flast	C SOLFED	123 /	Z5,	010
	· · · · · · · · · · · · · · · · · · ·									
									-	<u> </u>
				0) (L	L NTING DATA	[Rule 319.44(b)]			<u> </u>
						ted from	ft. to //)		ft `~ .
				`	20111011	ted moni	•			_ 't. _ ft.
				N	/letho	d used				
						ted by	n C' Br	45000		
						-				
						ACE COMPLET				
				_	_		ab Installed [Rule 31	9.44(c)]		
				i	_		[Rule 319.44(d)]			
					App	oroved Alternativ	ve Procedure Used [R	ule 319.71]		,
				11)	WATE	R LEVEL:				
	The same of the sa				Sta	ا استامات	0 6 5-1		1/22/	le/2
	DECEN	ED)				tic level	ft. below land s	_ /	wj	9 42
	HEUST					- "		Date		
	AUC 1 5	- 86		12)	PACK	ERS:	Туре	Dep	th	
	AUG									
	Texas Water Co	mmissio	<u> </u>							
						E PUMP:				
			-] Turb		€ ☐ Submersib	le 🗆 Cy	linder	
(Hea roveres ei	de if necessary)				Othe		The second secon	(())		
	de ii fiecessai y /			D	epth t	o pump bowls, c	ylinder, jet, etc.,	70	ft.	
15) WATER QUALITY: Did you knowingly penetrate any	strata which contain	nad undasi	rable	14)	WELL	L TESTS:	The state of the s	· · · · · · · · · · · · · · · · · · ·		
water? Yes No	strata which contain	nea unaesi	rable	14/			,	,	-	
If yes, submit "REPORT OF UND						Test: Pu	9		Estimate	
Type of water? Was a chemical analysis made?	Depth of strata∕. ☐ Yes		<u></u> _		Yield	l: gr	om withft	drawdown after .⊄	hr	S.
										
I here by certify that this well knowledge and belief. I unde										
1.1.5.1	N 2N					_	العداد المساهدين المساورين المساورين المساورين المساورين المساورين المساورين المساورين المساورين المساورين الم ويناف المساورين المس			
COMPANY NAME DEL US	ATOR WALL	DERT	CE Water W	ell Dri	ller's L	_icense No/	3/5			
(Type or	Print)		- 40	•	11	` ~				
ADDRESS J. D. Boy	<u>(Z/3</u>	Or	118		Uz.	mue,	-/X	1/662	<u>) </u>	
(Street or RFD)	ク , _		(City	<i>(</i>)			(State)	(Zip)		
(Signed)	40-		(Sign	ed)						
	Veter Well Driller)					(Registered Drill	•	or TDWR use on	w_07	-2
Please attach electric log, chemical anal	ysis, and other perti	inent infor	mation, if ava	ilable.				ocated on map —		

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING PRIVILEGE OF CONFIDENTIALITY

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.



GENERAL HIGHWAY MAP LEGEND JEFFERSON COUNTY **TEXAS** PREMIDE THE STATE DEPARTMENT OF HIGHWAYS AND PUBLIC TRANSPORTATION TRANSPORTATION PLANNING DIVISION IN COOPERATION WITH THE TRANSPORTATION FEDERAL HIGHWAY ADMINISTRATION FEDERAL HIGHWAY

\$0.3

File original copy with Texas Water Commission P. O. Box 12311, Capitol Station

State of Texas

l	uplicate
or use by TWC on ell No. 64-07	y-20
ocated on map 7	16

File origi				State o	f Texas			For use by TWC Well No. 64-6	only		
Texas Wate P. O. Box			ILLERS LO	OG AND	WELL I	DATA REPORT	Г	Located on map_	260		
Austin, To	exas 7871	1			**	, KEI OIL	•	ByE	ale <u>6 b</u>		
1) Well (Owner:	Chilton O'Brien	,	Petr	oleum	Bldg (130)3) B _e	aumont, To	exas		
2) Land (Owner:	same			Street or RF	D	City		State		
'		Nome Industrial 5Municipal 5	*Trrigation	Other '	reside		City		State		
		•				S. Conzi	ne	o. 14	- **		
		11: County Jeffenso			,				#:		
NWI 1 (Circle o	NEC SWIT De many as are kn	SE ¹ of Section Bloom)	ock No	Surve	y Che	enault O'r	srien. S	92 acre t	ract		
/-											
2 1/2		NE, SW, etc.							North		
from Hwy	<u> </u>	on the I aBelle	road, w	est si	de of	hwy. (Th	ne old h	ome)			
	······································										
		, C.									
						nces from two se					
		or 8				roads, and creek	cs.				
Method of drilling: rotary Diameter of hole 3 3/4 in. Date drilled May 25, 1966											
					•						
From	То	Description ar		de from	From	. above ground 1	Descr	iption and color			
(ft)	(ft)	formation n	material		(ft)	(ft)	fo	rmation material			
0	30	gray clay									
30	. 90	green clay									
90	110	blue clay							•		
IIO	155	water sand									
									<u> </u>		
									.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
						(Use conti	nustion shee	ts if necessary)			
	<u> </u>			COMPLET	ION DATA			Transcending)	·		
		MDI ERITON		0.1.1	O TNG			CORTEN			
		MPLETION		·	SING			screen ainless s	t-07:		
Straight			Type: O		 <u></u>		Type SU	aintess s	reer		
Under rea	med 🗌		Cemented	from	:	ft.	Perforate	∃ S	lotted 🔀		
Gravel pa	cked 🗌		to	ft.			1	_	_		
Open hole			Diameter (inches)	from (Setti		Diameter		tting		
Other			· · · · · · · · · · · · · · · · · · ·		11)	to (ft)	(inches)	from (ft)	to (ft)		
			2	0		147	2	147	155		
								•			
-											
				,							
		I hereby certify t									
						•	•		0.2		
		•						Reg. No	9.0		
Please at	tach elec	tric log, chemical analysis	, and other p	pertinent i	informatio	on if available.					
If well wa	as tested	by your company or if you					e following:		· · · · · · · · · · · · · · · · · · ·		
			WATER □	LEVEL A	ND PUMP	DATA					
Static wa	ater leve	ı_ 1 6	Pump	type					· · · · · · · · · · · · · · · · · · ·		
ft. below	grou	nd Tevel	Desi	igned pumpi	ing rate_				gpm□ gph□		
	•	nping level	Туре	e power uni	i.t						
feet		hours gpm	u _{or} ,								
		1200 gph	<u> </u>						below pump base.		
		using		TIL EO DOMIE	, cyllide	Jec, ecc,,		rt.	below pump base.		
		compress	$\Phi \mathbf{r}$								
Name of co	ontractor	testing well or installing	permanent pu	mp if othe	er than yo	our company:	reset	ruthberry	y pump		
C-34 (62-4	4)										

Proof hengolsus Deutso

State of Texas For TDWR use only Send or giftal copy by certified mail to the WATER WELL REPORT Texas Department of Water Resources Located on map P. O. Box 13087 Austin, Texas 78711 ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side Received: County ☐ Legal description: Driller must complete the legal description to the right Section No. ___ Block No. Township with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form. Abstract No. . _ Survey Name . Distance and direction from two intersecting section or survey lines. 3) TYPE OF WORK (Check): 4) PROPOSED USE (Check): 5) DRILLING METHOD (Check): Mud Rotary ☐ Air Hammer ☐ Driven ☐ Ted D New Well □ Deepening ☐ Reconditioning ☐ Plugging ☐ Irrigation ☐ Test Well ☐ Other _ Air Rotary Cable Tool Cable Tool 6) WELL LOG: DIAMETER OF HOLE 7) BOREHOLE COMPLETION: Dia. (i<u>n.)</u> From (ft.) To (ft.) ☐ Open Hole Straight Wall ☐ Underreamed Surface ☐ Other . ☐ Gravel Packed If Gravel Packed give interval . . . from _ _ft. to _ ft. Description and color of formation 8) CASING, BLANK PIPE, AND WELL SCREEN DATA: material Steel, Plastic, etc. Setting (ft.) Perf., Slotted, etc. Screen Mgf., if commercial Casing or Used (in.) From Screen 3" 130 **CEMENTING DATA** Cemented from. Method used __ Cemented by ___ (Company or Individual) 9) WATER LEVEL: Static level 12 ft. below land surface Date_ Artesian flow _ apm. Date_ 10) PACKERS: Depth Type 11) TYPE PUMP: ☐ Turbine ☐ Jet ☐ Submersible ☐ Cylinder (Use reverse side if necessary) Depth to pump bowls, cylinder, jet, etc., _ 13) WATER QUALITY: 12) WELL TESTS: Did you knowingly penetrate any strata which contained undesirable **Z**∕No ☐ Jetted ☐ Estimated ☐ Type Test: ☐ Pump ☐ Bailer If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? Depth of strata gpm with _____ft. drawdown after _____ hrs. ☐ Yes Was a chemical analysis made? I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. Water Well Drillers Registration No.


Please attach electric log, chemical analysis, and other pertinent information, if available.

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING PRIVILEGE OF CONFIDENTIALITY

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).



RECEIVID

SEP 17 '79

CR/TDWR

PECETWED AUG 1 3 1979

Send original copy by certified mail to the

State of Texas

For TDWR use only	_
Well No. 64-07- 2F	-
Located on mon 1. A f	_

Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711	WATER WE	LL	REP	ORT	Located on map 1, 0.5 Received: 28				
1) OWNER BIG SIX DRILLING (Name) 2) LOCATION OF WELL PEPERSON COUNTY COFFEE RANCH FANNEH		(Str	eet or I	NKS, W. Bldg, Wowst RFD) (City Mairection from	Sn. Tex 77002 (State) (Zip) (Town)				
Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.	□ Legal descrip Section No Abstract N	otion: 0 0 nd dire	ection	Block NoTownSurvey Name from two intersecting section or sur					
3) TYPE OF WORK (Check): 4) PROPOSED US	E (Check):			5) DRILLING METHOD (Check	k):				
	ndustrial			©-M ud Rotary □ Air Hamme □ Air Rotary □ Cable Tool					
6) WELL LOG: DIAMETER Dia. (in.) From Surf.	(ft.) To (ft.)	7	□Оре	REHOLE COMPLETION: en Hole #8traight Wall evel Packed □ Other Gravel Packed give interval from					
From To Description and color (ft.) (ft.) material	of formation			SING, BLANK PIPE, AND WELL S					
0-32 C/AY 32-43-SANd,		Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.) Gage Casing From To Screen				
43-186 C/AY 186-200 SAND,		3"	U.	STEE/	0 /70 /70 /70				
					<u> </u>				
		C	Method Cement O) WA	FR LEVEL					
		10) PAC	KERS: Type	Depth				
				PE PUMP: bin ∕⊐ Jet ∕⊐ Sulfmy	sible 🗆 Cylinder				
(Use reverse side if necessary) 13) WATER QUALITY: Did you knowingly penetrate any strata which contained water? Yes No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? Depth of strata Was a chemical analysis made?		Turbin							
NAME SAMUE/C, GORE (Type or Print)	Water Well D Site (City)	Irillers S.b S.A	Regist	der my supervision) and that tof my knowledge and belief. tration No. TEXAS (State) (Company Name					

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract. Information furnished in Section 2 of the TDWR-0392 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced. Q Well 3 @ E 1 W E | AUG 23 1978 CRILLIWR.

5

Please use black ink, Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

Texas Water Well Drillers Board P. O. Box 13087 Austin, Texas 78711

7.1.		.//	116	2 (3	(106 B	, 7 Y	2274	<u></u>				
·	(Name)	. Address	(Street	or RFD)	406 Bran	ity) (S	State) (Zip	<u>,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</u>				
2) LOCATION OF WELL:	son IN	miles in			_ direction from <u></u>	leek TX						
			(N.E., S.	W., etc.)		(Tow	/n)					
-		☐ Legal descr	•									
Driller must complete the legal descr with distance and direction from two	o intersecting sec-				lock NoT							
tion or survey lines, or he must locat well on an official Quarter- or Half-S					Survey Name							
General Highway Map and attach the		Distance a	and direc	tion from tv	vo intersecting section o	r survey lines						
		☐ See attache	d map.	on 6	1-64-8							
3) TYPE OF WORK (Check):	4) PROPOSED USE (Check)				5) DRICLING MET	HOD (Check):	□ D	riven				
New Well Deepening	☐ Domestic	☐ Monitor ☐	Public S	ibbla	Mud Rotary	Air Hammer]Jetted □Bo	ored				
☐ Reconditioning ☐ Plugging	☐ Irrigation ☐ Test Well ☐	Injection 🗆			<u> </u>	Cable Tool	Other ——					
6) WELL LOG:	DIAMETER OF HODIA. (jn.) From (ft.)	OLE To (ft.)		•	OMPLETION:	_						
Date Drilling: 6-26-1987	7/2 Surface	140	-	pen Hole ravel Packe	☐ Straight Wa		Jnderreamed					
Completed 6-26-1987	7				ked give interval from			ft.				
From To (ft.) (ft.)	Description and color of for material	mation	8) CA	SING, BLAN	IK PIPE, AND WELL SO	CREEN DATA:	·					
0 - 19	Clan		Dia. No		el, Plasti c, etc.	Setti	ng (ft.)	Gage				
20-26	Rand		(in.) Us	r Per ed Scr	f., Slotted, etc. een Mgf., if commercial	From	То	Casing Screen				
27-115	Clays		4			128	/37	012				
[[6-738	sand											
				+				 				
	,		9) CEI	AENTING F	ATA [Rule 319.44(b)1	· · · · · · · · · · · · · · · · · · ·	<u> </u>				
					ft. to		Sacks Used	3				
					ft. to	ft. No. of §	Sacks Used					
				hod used	POURED							
			Cen	ented by	DIL OWE	>						
		·	10) SL	RFACE CO	MPLETION							
	1				rface Slab Installed (Ru		en e					
			_		ter Used [Rule 319.44(c							
	/* · · · · · · · · · · · · · · · · · · ·				Iternative Procedure Use	a [Rule 319./1]						
		·		TER LEVE		,						
		· '	Static levelft. below land surface Date 6 - 26 - 37									
	JUL 1 7	87			vgpm	_						
	Jone Mican O		12) PA	CKERS:	Туре		Depth					
	(Acvas Marst CO)	limiSc. hij				,						
	<u> </u>	er Samuel (177										
			_	PE PUMP:		ionalble f	7					
				urbine ther Q	□ Jet □ Subm	iersidie (☐ Cylinder					
(Use reverse	e side if necessary)				bowls, cylinder, jet, etc.,		ft.					
15) WATER QUALITY:							_					
Did you knowingly penetrate ar	ny strata which contained unde	sirable	14) W	ELL TESTS	:							
water? ☐ Yes ☑ No If yes, submit "REPORT OF U	NDESIRABLE WATER"	a ·		ype Test:	☐ Pump ☐ Baile		☐ Estimate					
Type of water?	Depth of strata	y ——	, Y	eld:	gpm with	ft. drawdown	after hr	s.				
			-\ 4 41		-U -f -b	Ait	h = 1					
	vell was drilled by me (or unde nderstand that failure to compl											
COMPANY NAME JONES (Type	JATER WELL S	67 Water W	ell Driller	's License N	o. 685		<u>.</u>	· ·				
1.	or Print)	d ido			~*	٠ سر	761.0					
ADDRESS 205 Sha	//	(City			(State)		(Zip)	-				
(Signed) (Licensed	es S1.	(Signe	ed)									
<i>V</i>	· ·			(Register	ed Driller Trainee)	For TWC use	only 0 7 -	2				
Please attach electric log, chemical a	nalysis, and other pertinent info	ormation, if ava	ulable.			Located on m						

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING PRIVILEGE OF CONFIDENTIALITY

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public . record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

14MISIUL 19MILLEL

Well#2

Please use black ink,
Send original copy by
certified mail to the
Texas Water Commission
P.O. Box 13087
Austin. Texas 78711

State of Texas

WATER WELL REPORT

Texas Water Well Drillers Board P. O. Box 13087

P.O. Box 13087 Austin, Texas 78711 ATTENTION C	OWNER: Confidenti	ality F	Privilege	Notice or	n Reverse Side	A	Austin, Tex	cas 78711	,	
B-5/ D. 11:4	Address	ת אינו מראי	$n \cup 1$	2 7	· lease	Ha	7	9 7	7062	
1) OWNER (Name)	Address 🚜	(Str	eet or	RFD)	eugev	(City)	slow	(State)	(Zip)	
2) LOCATION OF WELL: County efficient	miles in		5		direction from	Bea	umo	nt_		
11		(N.E.	., S.W.,	etc.)			(To	wn)		
Driller must complete the legal description to the right	☐ Legal desc			Ď.	ock No	T	h.:	•		
with distance and direction from two intersecting section or survey lines, or he must locate and identify the					Survey Name _					
well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.					intersecting sec					
	☐ See attach	od ma			124-N	7-3				
3) TYPE OF WORK (Check): 4) PROPOSED USE (C		eu IIIa	μ.		5) DRILLING	METHOD	(Check):		☐ Driven	
New Well ☐ Deepening ☐ Domestic ☑ Industr]Publi	ic Supp	iy	Mud Rota			_		
☐ Reconditioning ☐ Plugging ☐ Irrigation ☐ Test W	ell 🗆 Injection 🗀	Othe	r		☐ Air Rota	y 🗆 Cab	le Tool	□Other <u> </u>		
6) WELL LOG: DIAMETER (7)	BOREI	OLE COM	MPLETION:					
Date Drilling: Dia. (in.) From (f		1	Oper	n Hole el Packed		•		Underream		
Completed 7-/2 1983 6 2 0	220	j '			d give interval .	r from				
From To Description and color of (ft.) (ft.) material	of formation	8)	CASIN	G, BLANK	C PIPE, AND W	ELL SCREE	N DATA:			
0-23 - top Soil		Dia.	New		, Plastic, etc. Slotted, etc.		Set	ting (ft.)	Gage	
23-39 - Jane		(in.)	Used		n Mgf., if comm	nercial	From	То	i	
39-613 Clay		3	N	Gol,	arty		0	190	0 40	
17-139			\vdash	Sto	the	-	190	721	7 70	
139-172 Char					.					
172-120 Sati					-					
					TA [Rule 31	9.44(b)]			4	
	· · ·	'	Cement	ed from _	ft. to	<u>/ </u>	No. of No. of	Sacks Used Sacks Used	<u> </u>	
			Method	l used 🎜	and the	Come	of St	my	3	
		,	Cement	ted by	W_		•			
		10)	SURF	ACE COM	PLETION					
			☐ Spe	cified Surf	ace Slab Installe	d [Rule 319	9.44(c)]			
			_	-	r Used [Rule 31 ernative Procedu	_	ula 210 71	Ī		
	- OFFE DI	<u> </u>				ire Osea (N	ule 315.71	<u> </u>		
PUE C	ELVEL	11)	WATE	R LEVEL:	;					
	2 86				ft. b		urface D	ate 74 2	2-85	
AUG	2 0.	Artesian flowgpm. Date								
Texas W	ter Commission	12)	PACK	ERS:		Гуре		Depth		
Tones						g		12		
		13)	TYPE	PUMP:	,		· ••••			
			3 Turbi	ine	□ Jeh] Submersib	le	☐ Cylinder	r	
(Use reverse side if necessary)		1	Othe		seff				_	
15) WATER QUALITY:			Depth to	o pump bo	owls, cyfinder, je	t, etc.,		1	t.	
Did you knowingly penetrate any strata which contained	undesirable	14)	WELL	TESTS:						
water? Yes ZNo If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water?	a -		Type	Test:	□ Pump □	Bailer (detted	☐ Estir	nated	
Type of water:	30		Yield	:	gpm with	ft.	drawdowr	after	_ hrs.	
			u . ⊏	t-	U =4 21 :			-ha! -		
I here by certify that this well was drilled by me (or knowledge and belief. I understand that failure to co										
of all water	1. 11 1.4.				Qi1				•	
COMPANY NAME OF Print	elfmin.	ell Dri	iller's L	icense No.	-///					
ADDRESS Las N. By 194	5	1úl	ske	سر	24		17	656		
(Street or EFD)	/(Cit	y)			(5	State)		(Zip)		
(Signed) (Licensed Water Well Driller)	(Sign	ed)		/Bas!-+	d Driller Trainee	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		r	00.0	
Please attach electric log, chemical analysis, and other pertinen	t information, if av	ailable		(negistered	חווים ר rimer itaivee	Wel	TWC use I No ated on r	DIL	11-2	

 \sim

IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public $\,\cdot\,$ record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.





File original copy with Texas Water Commission

State of Texas

For use by TWO	only
Well No. 66	2-07-2F
Located on map	VA-S
By all	Date 67
114-	

P. O. Box 2311, Capitol Station Austin 11, Texas	RILLERS LOG AND	WELL	DATA REPOR	RT	By Located on map_ By Located on map_ Map no.	0até 67	
1) Well Owner: Mb JC, Poty	ter l	195	FAnnet	TRI BE		Texas	
2) Land Owner:				•			
3) Intended use: Industrial ; Municipal	;Irrigation [;Other_	Street or B	~~~	City		State	
4) Location of well: County SeF-	Pr Son Labor	<u> </u>	League	Abstract N	0		
$NW_{i\downarrow}^{\underline{1}} NE_{i\downarrow}^{\underline{1}} SW_{i\downarrow}^{\underline{1}} SE_{i\downarrow}^{\underline{1}} \text{ of Section}$ B1							
(Circle as many as are known)				- (al			
some sin Still street on Still		/		Horas /	eft ad	North	
from Beaumon Still	In EIXY	Jaim	istes of	Fire	Lagon n	1, 7	
going South	7	my 12	7	1178	Lover Pa	13.0	
Beaumont Down Town	austote	#10		_ \	<u> </u>	C21-3	
Beaumon	t XIII	/					
n Town			1/				
Daw"	Hwy 90						
Sketch	map of well location	Tret dine		Imelia	/// ,		
	survey lines, and to la	ndmarks,	roads, and cree	k8.			
Method of drilling: Rotary	DRILLERS L				T=9 / 3	•	
		_			5-9-62		
From To Description as		From	. above ground	Descr	iption and color		
(ft) (ft) formation n		(ft)	(ft)	fo	rmation material		
	and	<u> </u>					
15 30 xhey Class 30 38 F. F. 8 507.		-			· · · · · · · · · · · · · · · · · · ·		
- M	nd	 					
1 1011	J	<u> </u>					
12 134 WATEL Ja	nd	1					
			(11-2-2-2-1				
	COMPLE	TION DATA		inuation snee	s if necessary)	· · · · · · · · · · · · · · · · · · ·	
COMPLETION	CA	SING			SCREEN		
Straight wall		w 🗆		Type BA		Charle	
Under reamed	Cemented from	_	f+	1996 277		CLE VICE	
Gravel packed	to ft.			Perforated	I □ s	lotted 🗌	
Open hole	Diameter	Settin	10	Diameter	ter Setting		
Other 2' Straight	(inches) from (to (ft)	(inches)	from (ft)	to (ft)	
				2"	126	134	
						/	
					·		
I hereby certify to each and all of th	hat this well was dril e statements herein ar	led by me	(or under my sthe best of my	upervision) an	d that belief.		
- Works	//		ates 11		(1) Reg. No. 9	7	
Please attach electric log, chemical analysis			Company Name	-			
If well was tested by your company or if you							
	WATER LEVEL A						
Static water level 12-0	Pump type			•			
ft. below]					gpm	
Pumping level	'						
feet hours gpm							
					f.	below pump base.	
	-	, -, -, -, -, -, -, -, -, -, -, -, -, -,	, u,,			Serow pomp base.	
	<u> </u>						
Name of contractor testing well or installing	permanent pump if oth	er than yo	our company:				
C-34 (62-4)							

See 6 July 2005

NCICAL TEXAS



File original copy with
Texas Water Commission
P. O. Box 12311, Capitol Station
Austin, Texas 78711

State of Texas

DRILLERS LOG AND WELL DATA REPORT

	•	•	-
For use by TWC only	_		
Well No. 64-07-	2	£	
Located on map			
By Ole Date	<u>, </u>	7	
. 	_		_

Austin, T	exas 7871	l 								Map no	Date	۲ بي
1) Well	Owner:	J. J. wi.	Ilis Truc	king Co).	P.	O. Box	550	Beat	mont,	Texas. 7	77704
1	Owner:	same	Name	· · - · · -	4	Street or			City		State	
3) Inten	ded use:	Industrial K	;Municipal 🗌	;Irrigation[] ;Other_					•		
1			Jefferson								ion 21	
NW1 (Circle	NE <mark>1 SW</mark> 1 as many as are kn	$SE_{ii}^{\underline{1}}$ of Sectio	nBlo	ck No	Surve	ey	rownsh:	ip of	Cheek	Texas	· · · · · · · · · · · · · · · · · · ·	
		,										
mimi	les in	NE, SW, etc.	rection	•								North
from		Town							Q 1	يركيس		j
	٠		9			,	311	ر کی				ŀ
							2000		10	. `\		
							<u>ر</u>		* AM			
					٠,		2		:			
						,		•			·	
				map of well								
			or st	rvey lines, DR	and to la			d creeks	3.			
Method of	drilling:	rota	ry	1	Diameter c	f hole_	3 3/4	in. Dat	e drilled	April	12, 196	7
The				surements ma	de from		t. above g	round le		·	· · · · · · · · · · · · · · · · · · ·	
From (ft)	To (ft)		Description and formation ma		•	From (ft)	To (ft)			iption and rmation mat		
0	20	gray cl	ay									
20	30	red sar	nd									
30_	60	gray cl	Lay	- · ·		ļ						
60	95	blue cl	ay					ļ				
95	115	white s	sand				ļ <u>.</u>					
115	155	water s	sand							 		
<u> </u>												
	<u></u>		-	-:	COMPLET	TION DAT	···	contin	uation sheet	ts if neces	sary)	
	co	MPLETION				SING			•	COD		
Straight		HI LEI ION		Type: 01d New Type stainless steel					eī			
Under rea		•		Cemented fromft.					type south south south			
Gravel pa	cked 🔲	,		to					Perforated	1 🗀	Slotted[X
Open hole	· 🗆			Diameter		Sett	ing	<u>_</u>	Diameter	•	Setting	
Other_				(inches)	from (to (ft)		(inches)	from (f	t) t	o (ft)
				2		0	147		2	147		155
												
		T hos	oby contify th	at this real	reno duil	lad by m	. (d that		
		(1) Sach	eby certify the	statements	herein ar	e true to	the best	of my k	nowledge and	l belief.		
	-	54 D	seen		G <u>reer</u>	Bro.	. Water	Wel	<u>l Servi</u>	C C Reg. No	, <u> </u>	
Please at	tach elec	tric log, chem	nical analysis,	and other p	ertinent	informati	ion if avai	lable.		4		
If well w	as tested	by your compa	ny or if you i				<u></u>	ete the	following:			
			· · · · · · · · · · · · · · · · · · ·	WATER	LEVEL A	ND PUM	P DATA					
	ater leve			Pump	type	 		٠,	•			
ft. belo	w <u>gro</u>	und leve	1								gpm	gph 🗌
feet	Pur	nping level hours	gpm	Туре	power un	it		·	4.			
	-,	1	100 gph]								-
			using	Dept	n to bowl	s, cylino	ier, jet, e			••	ft. below	pump base.
	compressor											
Name of c	ontractor	testing well	or installing	permanent pu	mp if oth	er than y	our compan	у:	Owner s	et pum	p. — –	
C-34 (62-						·				- •	··	
U-UT (UL-	7)											

Terre Contract Board

7961 I I YAM

C-34 (62-4)

7961 I I VAM

Central Records
Texas Water Development Board

•			W.	- , -				(
Texas Wat	dinal copy er Commis 12311, C	sion apitol Station	DRI	ILLERS L	•	of Texas	DATA RE	PORT		For use by Well No. 65 Located on By 12 Map no.	1-07-	2 D
l) Well	Owner:	Chilton (Brier	1	Petr	oleum	Bldg.	(13	03) B	eaumont	Texa	.S
	Owner:		Name			Street or			City		State	
	ded use:	Industrial Mu					dentual S. Co		ne.	· · · · ·		
NW .		SE ¹ of Section	effers		Labor Surv		_League henault	01	_Abstract N B rie n	o. <u>14</u> 392 ac	re tra	.ct
2 3/41		south direct			· 		·					Next
from Hwy		on the LaBe		oad. we	st sid	le of	hwy. (N	ew	home)			
				-								
			Sketch m	map of well urvey lines,	and to 1	andmarks,	roads, and	wo sec	ction s.			
Method of	drilling:	rotary			RILLERS (Diameter (. Da	te drilled	May 24,	1966	
				surements ma		_	above gro					
From (ft)	To (ft)		iption and rmation ma	d color of aterial		From (ft)	To (ft)			iption and co rmation mater		
0	30	gray clay	•			ļ				·		· 10000
30	90	green cla	-			<u> </u>						
<u>90</u> 110	110 155	blue clay water san								<u></u>		
	155	water san	<u></u>					-				
								_	, ,			<u> </u>
											-	
							(Use	contin	uation sheet	s if necessa	ry)	
					COMPLE	TION DAT						
	COI	MPLETION	 1		C.A	SING				SCREE	N	
Straight	wall 🛣			Type: 0	ld 🗌 Ne	w 🔀			Type Sta	inless	<u>steel</u>	
Under rea				Cemented	from		ft.		Perforated	П	Slotted	石
Gravel pa			ŀ	to	ft.							
Open hole	_			Diameter (inches)	from (Setti ft)	ng to (ft)		Diameter (inches)	from (ft)	Setting t	o (ft)
other				2	0		147		2	147		155
			 -							T*1.		
	· · · · · · · · · · · · · · · · · · ·											
		I hereby of	ertify the	at this well statements	l was dril herein ar	led by me e true to	(or under methe best of	ny sup my k	ervision) an nowledge and	d that belief.		
	-	A Symoture	en	7 (reen	Bros.	Water V	Vell	Serv.	_ Reg. No	93	-
Please att	tach elect	ric log, chemical										
If well wa	as tested	by your company or	if you in					e the	following:			
				WATER	LEVEL A	ND PUMF	DATA					
	ater level				type		·					
ft. below	<u>-</u>	ind level		!							gpm	🗌 gph 🙀
feet	Pum	hours	gpm	I			electri		otor			
		1200	O gph		-							
		usi	ng	Dept	n to bowle	s, cylind	er, jet, etc	, ,4	. C		ft. below	pump base.
		com	nesso	r.								
Name of co	ntractor	testing well or in	stalling p	ermanent pu	mp if othe	er than yo	our company:		· ····· -		 	

.

COLLAND TO THE

9961 97nc

Proof Institutions of Indian Spran

Service Services

Attention Owner: Confidentiality Privilege Notice

Texas L _artment of License and Regulation Water Well Driller/Pump Installer Program

and filed with the department

This form must be completed

on reverse side of owner's copy.	on reverse side of owner's copy. P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616 and owner within 60 days **Toll free (800)803-9202** Toll free (800)803-9202** T										
La Courte		Email add				.state.tx.us	.	upc	ni compi	letion of th	ie weii.
LA COURCE!	DESIGNATION OF THE PERSON OF T		STEEL ST		PORT						
	A. W I	ELL IDEN	THIC	ATION	AND L	DCATION	DATA	e st inos presidentes.			
1) OWNER SAME	Address			Mary of State (State)	City			State	Salt 3	Zip	
LOUISIANA GAS DEVELOF	EMENT COI	RP 416	Travi	is Str	ieete S	uite 70	0 Shreve	port, LA		71101	
2) WELL LOCATION				for the				and the collection			
Jefferson 1	Physical Addre	ess Le SE	from		^{City} Cheek			State Texas		Zip	
3) Type of Work	Lat.		<u> </u>	I.	ong.			Grid#6	4-1	97-2	
New Well Reconditioning		d Use (che	eck)			onmental So	il Boring 🔲 D		5)		<u>~</u>
Replacement Deepening	I —	_				·	De-watering		-/		
	Rig Supply			-			nitted? 🔲 Ye				
6) Drilling Date		ameter of	Hole		7) D	rilling Me	thod (check)	Driven	1	a	
Started May 30 /2002	Dia.(in)	From (ft)	,	To (ft)	I—	_	Mud Rotary		ľ		
	7/12	8		230			Cable Too			•	
Completed " / " / "						Other					
											
From (ft) To (ft) Descrip	tion and col	or of form	ation n	naterial	8) E	orehole C	ompletion	Open H	ole 🔁	Straight	Wall
From (ft) To (ft) Description and color of formation mater D - 35 163 Clay 163 - 230 Sand						Under-rea	med 🗖 Grav	el Packed 5			
	~ 1						d give the interval Pipe, and		ft.t n Data		ft.
165 - 250	<u> zang</u>	<u></u>	• • • • • • • • • • • • • • • • • • • •			New	Steel, Plast		1	ting (ft)	Gage
				Dia.	Or	Perf., Slott	ed, etc			Casing	
					(in.)	Used	Screen Mf	g., if commercia	d From	To	Screen
					44	Mai	1 / 051	72		210	Soly
			 -		7.	May	Plash	Sotto	121	10 -232	016
					-				+		_
.					0)		<u> </u>				
					— ⁹⁾ (ementing from	Data ft. t	0 15-ft	# of sa	icks used	//
(Use reverse side of Wel	l Owner's conv	If necessary)					ft. t	oft.	# of sa	cks used _	
13) Plugged					_	hod Used enting By	John E B	ruson			
Casing left in well: Cement/Bentonite	placed in well:				Met	ance to septic	system field or ation of above d	other concentra	ted cont	mination	ft.
From (ft) To (ft) From (it) T	Γo (ft)	S	acks used		<u>_</u>		(_ F	التعظ دويب	AR	
					10)	Surface C	Completion L ce Slab Installe	RMAILKU	₩.		
					2 -8	ecified Surfa	ice Sleeve Instal	led - c -o	ω2	1	
14) Type Pump ☐ Turbine ☐ Jet	Submersible C	7 0-11-1				tless Adapter	Used U\ rnative Procedur		U.C.		
☐ Other	1 Submersible C	- Cylinder			<u></u>		RECEIPT#	AMOUN	1		
Depth to pump bowls, cylinder, jet etc.,	ft.	87				Water Le	vel				
15) Water Test Typetest Pump Bailer Jette	ed 🗆 Estimate	ed				c levelsian Flow	ft. below	Date May/	-30/	_2.002_ 1	
Yield:gpm withft. draw	wdown after	hr	s.			D 1					
16) Water Quality Did you knowingly penetrate a strata who	ich contain unde	sirable consti	tuente		12)	Packers		Туре	I	Depth	
YES NO If yes, did you submit				ER							
Type of water Was a chemical analysis made Yes	Depth of St	trata			-						
		· -			I			<u> </u>			
Company or individual's Name (ty	pe or print)	B&LW	IATER	WELL	SERVIC	E, INC.		Lic. No. 1	315 U	VI	
Address P O Box 213				C	ity W	innie		State Tex	as	Zip776	65
Signature My 5 By 50		/	1		Signature	West	Att.			/	/
Licensed Driller/Pump Installe	A rria Maria Maria M	D.	ate		e de de	L. A.	prentice			Date	



IMPORTANT NOTICE FOR PERSONS HAVING WELL DRILLED CONCERNING CONFIDENTIALITY

Section 32.005 of the Texas Water Code, concerning confidentiality information in the Reporting of Well Reports, reads as follows:

Every licensed driller drilling, deepening, or otherwise altering a water well in this state shall make and keep a legible and accurate well log in accordance with department rule on forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department, the Texas Natural Resource Conservation Commission, and the owner of the well or the person for whom the well was drilled. The well log shall be recorded at the time of drilling and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size, and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or the person for whom the well was drilled.

The last sentence specifies the means whereby you may, if you wish, assure that logs of your wells will be kept confidential.

From (ft)	To (ft)	Description and color of formation material
i		
-		

.,, ,,		
		
	 .	

Teas Department of License and Regulation

Attention Owner:

Confidentiality Privilege Notice
on reverse side of owner's copy.

P.O. Box 12157 Austin, Texas

Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616
Toll free (800)803-9202

Email address: water.well@license.state.tx.us

This form must be completed and filed with the department and owner within 60 days upon completion of the well.

			WI	ELL REI	PORT						
A. WELL IDENTIFICATION AND LOCATION DATA 1) OWNER											
1 OWAER Name		Address		lc	ity			State	Zip	HINTS JEH	r - 148 J 12
EDibERTO E	BARRERA		FRINT R		•	ONT		元 文.	1	776	ا ک ^ا
2) WELL LOCAT	. Fig. 67 - 27 - 20 - 20 - 20 - 20 - 20 - 20 - 2	ger Olym 1993 17 Olympia Libertai								V. cikir	P 6788 49
County	١ ٠	Physical Addre	ess .		ity	er grafika -CASALLA	The same of the sa	State	Zip	96451 - 7 6 68	S. P. J. Sheritan M
JEFFERS	son	6198	Labelle	RS	<u>BEAUM</u>	ONT		TX.		77705	
3) Pype of Work]	Lat.		i	ng.	Ig. Grid #64 -07-2					
			Use (check)			mental Soil			5)		NÎ⊎
Replacement			☐ Irrigation ☐								
		Rig Supply								,	
6) Drilling Date			ameter of Hole		I—	_	hod (check)				
Started 4/	ed 4 / 18 / 2002 Dia.(in) From (ft) To (ft)				-	Mud Rotary					
		3	6314	135		Hammer [Cable Tool	Jetted			
Completed 4/	8 12002				Oth	er					
							<u> </u>	l			
From (ft) To	(ft) Descript	tion and col	or of formation	material			mpletion				Wall
0	L -	TOP JO	<i>;</i> /				ned Grave		Other ft. to	·	
2	11	BROWN					give the interva k Pipe, and				11.
12			Cant			New	Steel, Plastic	c, etc.	Setting	(ft) (Gage
		SPEY (, •		Dia. (in.)	Or Used	Perf. Slotte	d, etc , if commercial			Casing Screen
		uhites.			.3	Useu	fre Sch			20	SCICCII
	,	PREYC			3	_	PUC SCH				006
-		LEY S								-	
,											
					9) Cei	menting l	———— Data				
		····································			Ceme	nting from	ft. to	18_ft.	# of sacks t	ised	4_
(Use rev	erse side of Well	Owner's copy,	If necessary)		Method	l Used 40	UREN		# or sacks t	isea	
	Well plugged		ours	· - 	Cement	ting By) . R. Jew	ther concentration	ted contoni-	atic	1N =
	ement/Bentonite r		o (ft)	Sacks used	Method	of verificat	ystem field or c tion of above di	stance	A G D	1411 917	
10	- (11) 110m (11		V (11)	Sacks decid			mpletion—	PER MAIL I	100M_	SFI	
					Speci	ified Surface	e Slab Installed e Sleeve Installe	LAAV & S	วกกิว		
14) Type Dump				 .		ified Surfaces SS Adapter U		HIEL 2 T	20 02		
14) Type Pump ☐ Turbine ☐	Jet 🗹	Submersible [Cylinder		Appr	oved Altern	alive Procedure	Used AMC	TAUC		
Other	_		10		11\ \	aton I					
15) Water Test	miner jet ele.,	11.			Static le	ater Level	el ft. below	Date 4 /	18/20	02	<u>'</u>
Typetest 🗆 Pump 🗆						n Flow				•	
Yield:gpm with 16) Water Quality		down after	hrs.		12) Pa	ackers	Т	ype	Deptl	h	
Did you knowingly pene	etrate a strata whic	ch contain unde	sirable constituents.					Lastic		181	
Type of water FRES	, did you submit a	REPORT OF U Depth of St	UNDESIRABLE W. trata るく	ATER			/	11		04	-
Type of water FRESH Depth of Strata 25 11 104 Was a chemical analysis made Yes No											
Company or individual's Name (type or print) JONES WATER WELL SERVICE Lic. No. 685 WP											
Address 205 Sh	Address 205 Shquuu Ef City Vi da State TX Zip 77662										
Signature Dale	R) men	, f. T	4 / 21	12002		71	Rla	_/		ر ور	
VILLIANT TO THE TOTAL TO	7/Pump Installer		Date		nenature)	Apr	rentice		SETTINGS. I SANCE OF JEAN	ate	



Section 32.005 of the Texas Water Code, concerning confidentiality information in the Reporting of Well Reports, reads as follows:

Every licensed driller drilling, deepening, or otherwise altering a water well in this state.

shall make and keep a legible and accurate well log in accordance with department rule on forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department, the Texas Natural Resource Conservation Commission, and the owner of the well or the person for whom the well was drilled. The well log shall be recorded at the time of drilling and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size, and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or the person for whom the well was drilled.

The last sentence specifies the means whereby you may, if you wish, assure that logs of your wells will be kept confidential.

From (ft) T	To (ft)	Description and o	color of formation material
			
			-
			- d
I 8			<u>, , , , , , , , , , , , , , , , , , , </u>
11 1	•		<u></u>
		*	
			
71 47			
			•
	•	<u> </u>	

Attention Owner:

Confidentiality Privilege Notice on reverse side of owner's copy.

Texas Department of License and Regulation

Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616

This form must be completed and filed with the department and owner within 60 days upon completion of the well.

			03-9202			upoi	n completion of th	e well.		
	Email address: water.well@license.state.tx.us WELL REPORT									
		VV I ELL IDENTIFI	SALESCHELL COMMUNICATION OF ARRESTS ASSESSED. L	MISTORNEY D. DINGS ALMER SET.	ETET/ONE I	NA CONTRACTOR				
1) OWNER					lobergali	A So to Sur-		# 5 BX 54		
Name	Address	0 /		ity			State	Zip		
Terry meza	6276	La bell	e Pall	Bearen	iont	TELLIC TO SUBSTITUTE OF SUBSTI	/ X .	フファク	<u> </u>	
2) WELL FOCATION	tografia je di	rotosti						The state of the second		
County	Physical Addre	a helle Re	ን ci	ity		_	State	Zip	~	
JEFFERSON	62/60	avelle Re	X , L	Beaus	nont		77.		705	
3) Type of Work_	Lat.		Lo					4-07-2		
New Well Reconditioning	4) Proposed	Use (check)	Monitor	Environn	nental Soil	Boring 🛂 🛭	Oomestic	5)	N↑	
Replacement Deepening	Industrial	☐ Irrigation ☐	Injection [Public Su	pply 🔲 🛚	De-watering [Testwell		•	
	Rig Supply	, If	f Public Suppl	y well, were p	lans submit	ted? 🔲 Ye	es 🔲 No			
6) Drilling Date	Dia	ameter of Hole		7) Drill	ling Meth	od (check)	Driven			
Started 12/17/2001	Dia.(in)	From (ft)	To (ft)	Air I	Rotary 🛭	Mud Rotary	Bored			
	4/2	0	135	Air l	Hammer [Cable Too	ol 🗖 Jetted			
Completed 12 / 17 200				Othe	er					
							- 1			
From (ft) To (ft) Descrip	tion and col	or of formation	material	8) Bore	ehole Co	mpletion	Open Ho	ole 🗷 Straight	Wall	
0 4 /	Brown	Clary		1			vel Packed			
10 19	A A A A	20-	•			vive the interv	Well Screer	ft. to Data	н.	
	Julian To	(land			New.	Steel, Plast		Setting (ft)	Gage	
20 24	Dane.	varia -		Dia.	Or	Perf., Slott	ed, etc		Casing	
45 71		(in.)	Used		z., if commercia		Screen			
48 16	Chile.	Rand		12		PUC SC			100/	
112 133	her c	lay		1		PUC S	ch 40	124-133	900	
113 135	where	some						+ •	 	
									<u>i </u>	
					nenting l		. 20 ft	# of sacks used _	3/2	
(Use reverse side of Wel	1 Ournaria conv	If pagassary)				ft. t	oft.	# of sacks used _ # of sacks used _		
		'. '' : :		Method Cementi	Used <u>PC</u> ing By	D. P. Jo	ي هم او			
13) Plugged		ours		Distance	e to sentic s	vstem field or	other concentra	ted contamination	7/ 1	
From (ft) To (ft) From (o (ft)	Sacks used	Method	of venticat	ion of above d	istance O PV	Papel		
						mpletion-	·	L MOOM 6	SH	
				□ Speci	fied Surface	Slab Installe	d JAN 2	s 2002		
14) Type Pump		<u> </u>		☐ Pitles	s Adapter U	Jed		0 2002		
Turbine 🔲 Jet 🖂		☐ Appro	oved Altern	atR€ΦFö€edü	re Used	MOUNT				
Other	ft.			_{11) W}	ater Lev	al .				
15) Water Test				Static le	vel_ 15 _	ft. below		7 12001		
Typetest 🖸 Pump 🚨 Bailer 🖵 Jette	ed 🚨 Estimate wdown after	d hrs.		Artesian	Flow	gpm.	Date/_	/		
Yield:gpm withft. drawn and the grant		12) Pa	ckers		Туре	Depth				
Did you knowingly penetrate a strata wh							Plati		7	
YES M NO If yes, did you submit Type of water Fresh	a REPORT OF 1	UNDESIRABLE W trata	ATER				, i		<u>ن</u>	
Was a chemical analysis made Yes						/				

Company or individual's Name (type or print)

Licensed Driller/Pump Installer

Date

/2002

Signature

Apprentice

LONES WATER WELL JORVICE Lic. No. 685 WP

StateTX

IMPORTANT NOTICE FOR PERSONS HAVING WELL DRILLED CONCERNING CONFIDENTIALITY

Section 32.005 of the Texas Water Code, concerning confidentiality information in the Reporting of Well Reports, reads as follows:

Every licensed driller drilling, deepening, or otherwise altering a water well in this state shall make and keep a legible and accurate well log in accordance with department rule on forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department, the Texas Natural Resource Conservation Commission, and the owner of the well or the person for whom the well was drilled. The well log shall be recorded at the time of drilling and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size, and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or the person for whom the well was drilled.

The last sentence specifies the means whereby you may, if you wish, assure that logs of your wells will be kept confidential.

From (ft)	To (ft)	Description and color of formation material
	<u></u>	
	•	
#** **		
.,,,,,,,		
	• •	

ATTENTION OWNER: Confidentiality Privilege Notice on on reverse side of Well Owner's copy (pink)

State of Texas WELL REPORT

Texas Water Well Drillers Advisory Council MC 177
P.O. Box 13087
Austin, TX 78711-3087

of Well Owners copy (pink)	WELI	LREF	POR	T		Austin, TX 7		
1) OWNER Umphrey, BAR	ADD	RESS 4	190	Park St (Street or BED)	Buaum	cont	TX 7	770/
2) ADDRESS OF WELL: County La Heleson	(Street, RFD or other)	d. F	AN/ City)	Vette TX (State)	71705 (Zip)	GRID# <u>6</u>	4-07-	2
3) TYPE OF WORK (Check): Rew Well Deepening Reconditioning Plugging	4) PROPOSED USE (Check): Industrial pringation If Public Supply well, were plans	☐ Monito	r 🗍	Environmental Soil	Boring Dom vatering Testv	nestic	5)	×
6) WELL LOG: Date Drilling: Started 3-29 19 99 Completed 3-29 1999	DIAMETER OF HOLE Dia. (in.) From (ft.) To (ft.) 7 Surface 45		☐ Air F	NG METHOD (Checked and Rotary	e Tool			Ŋ
From (ft.) To (ft.) Descrip	tion and color of formation material CLAY SAND		☐ Und	el Packed give interv	ravel Packed al from	Otherft. t	Straight Wall	
34 - 45	SAVO	CAS	New	ANK PIPE, AND W			ng (ft.)	Gage
		Dia. (in.)	or Used	Perf., Slotted, et Screen Mfg., if o	c.	From	То	Casting Screen
	***	4	W	PVC Play		0	35	schyo
		4	W	Ave sc	ReeN	35	45	1010
(Use reverse side of Well On 13) TYPE PUMP: □ Turbine □ Jet ■ Submers □ Other	sible Cylinder		Method Cemen Distance Method	used TUB ted by Self e to septic system file of verification of abo CE COMPLETION	_ft. to	ft. No. of sa	cks used	
Depth to pump bowls, cylinder, jet, etc. 14) WELL TESTS: Type test: ■ Pump □ Bailer Yield: 12 gpm with 27	☐ Jetted ☐ Estimated	11)	☐ Spe ☐ Pitle ☐ App	cified Surface Slab Ir cified Steel Sleeve Ir ss Adapter Used [I roved Alternative Pro	nstalled [Rule 338 Rule 338.44(3)(b)] ocedure Used [Rule	8.44(3)(A)] e 338.71]		0.0
15) WATER QUALITY: Did you knowingly penetrate any strata	which contained undesirable		Static le	evel <u>&</u> ft.	below land surface		3-29	
Type of water?	PORT OF UNDESIRABLE WATER" Depth of strata Yes No	12)	PACKE	RS:		Туре	Depth	<u> </u>
I hereby certify that this well was drilled by runderstand that failure to complete items 1 to COMPANY NAME Holmes Water (Tyr	thru 15 will result in the log(s) being return	med for co	mpletion			•	ge and belief.	I
ADDRESS 290 Kings (Signed Clicense) (License	SEP SEP	1 3 1	m b.c 999 (Signed	10230 00	(Registered	(State) Driller Traine	774 (Zip	657))
· ·	COMMENT case attach electric log, chemical ana	lysis, and	other p	ertinent informatio	, ,		-,	

The second of th

and the second of the second o

Send original copy by certified return receipt requested ma.

ATTENTION OWNER: Confidentiality Privilege Notice on on reverse side of Well Owner's copy (pink)

State of Texas WELL REPORT

Texas Water Well Drillers Advisory Council MC 177
P.O. Box 13087
Austin, TX 78711-3087

, , ,	LL KEP	REPORT				Austin, TX 78711-3087 512-239-0530			
1) OWNER LIMPhrey, IN	BART	ADDRESS 4	901	Park S	7. 1	Веаинол	st -	 	701
2) ADDRESS OF WELL: County foffanson	(Street, RFD or other			•	•				7-2
3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging	4) PROPOSED USE (Check): Industrial Industr	☐ Injection	☐ Pub] De-wa	tering Testwo	ì	5)	Х
6) WELL LOG: Date Drilling: Started 3-29 19 99 Completed 3-29 19 99	DIAMETER OF HOLE	(ft.)	☐ Air F	NG METHOD otary (5) M ammer	Mud Rota Cable	ary Bored Fool Jetted			7
From (ft.) To (ft.) Descrip	tion and color of formation mater		Und	le Completic	Gra		Other	Straight Wall	
11 - 14	SAND CLAY	-				LL SCREEN DAT			11.
34 - 45	SAND	Dia.	New or Used	Steel, Pla Perf., Slo	astic, etc		Settir	g (ft.)	Gage Casting Screen
		4	λ	PVC	$\overline{}$	tic Pipe	C	35	5ch40
		4	W	PVC		reen'	35	45	,010
(Use reverse side of Well On 13) TYPE PUMP:			Cement Method Cement Distanc Method	used ed by e to septic sys of verification	O Self stem fiel n of abov	ft. tof ft. tof	t. No. of sa	cks used	
OtherDepth to pump bowls, cylinder, jet, etc.	45 ft.	1 1		CE COMPLE cified Surface		stalled [Rule 338.	.44(2)(A)]		
14) WELL TESTS: Type test: Pump ☐ Bailer	☐ Jetted ☐ Estimated		☐ Specified Steel Sleeve Installed [Rule 338.44(3)(A)] ☐ Pitless Adapter Used [Rule 338.44(3)(b)] ☐ Approved Alternative Procedure Used [Rule 338.71]						
Yield: gpm with		11)	Static le			pelow land surface	Date_ Date_	3-29	-99
constituents? ☐ Yes Mo If yes, submit "RE: Type of water?	PORT OF UNDESIRABLE WATER	12)	PACKE	-	SEO#	T	уре	Depti	1
	Yes B No	Mark Superior Superio			VI. VI				
I hereby certify that this well was drilled by r understand that failure to complete items 1	me (or under my supervision) and th thru 15 will result in the log(s) being	COCH-		វិទ្យាស្ថិ ls her and resubmit					I
COMPANY NAME Holmes WATER	Pe or print)	MENER Co.	VELL D	RILLER'S LI	CENSE	no. <u>130</u>	INI		
ADDRESS 290 Kings (Stylet o	Kow -	(City)	ertor	لـــ		X State)	776 (Zij	<u>57</u>
,	ease attach electric log, chemical		Signed		rm a4!a	(Registered I	Oriller Traine	e)	

the first of the control of the second of th

f)

Send original copy by certified return receipt requested ma.

ATTENTION OWNER: Confidentiality Privilege Notice on on reverse side of Well Owner's copy (pink)

State of Texas WELL REPORT

Texas Water Well Drillers Advisory Council MC 177
P.O. Box 13087
Austin, TX 78711-3087

of view owner outpy (printy	WE	LL KEI	REPORT					Austin, TX 78711-3087 512-239-0530		
1) OWNER Umphrey, (Na	BART (me)	ADDRESS _	490 a.	Park (Street or RF	25+ B	QAUN (City)	ionot,	(State)	770/ (Zip)	
2) ADDRESS OF WELL: County	(Street, RFD or other)	g (Xd.	TAM City)	NeTT T	State) (Zip)	<u>as</u> (GRID# <u>6</u>	4-07	-2	
3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging	4) PROPOSED USE (Check): Industrial Inrigation If Public Supply well, were p	☐ Injection	□ Pub	lic Supply	_	☐ Dome		i)	X	
6) WELL LOG: Date Drilling: Started <u>3 - 30</u> 19 <u>99</u> Completed <u>3 - 30</u> 19 <u>99</u>	DIAMETER OF HOLE Dia. (in.) From (ft.) To Surface 4.	(ft.)	☐ Air F	NG METHOD lotary No lammer C	Mud Rotary [Driven Bored Jetted			7	
	tion and color of formation materi	al 8)	☐ Und	erreamed	■ Gravel Pack	☐ Open H	Other	Straight Wall		
0 - 71	5AND		If Grave	l Packed give	e interval from		ft. t	· 45	ft.	
14 - 34 34 - 45	CLA! SAND		SING, BL	· · · · · · · · · · · · · · · · · · ·	AND WELL SCR	EEN DAT	A:			
<i>51 73</i>		Dia.	New or	Steel, Pla Perf., Slo	otted, etc.		Settin	1	Gage Casting	
		(in.)	Used		Afg., if commercia		From	To	Screen	
***************************************		- 4	N		PLASTIC Screen	Pipe	<u> </u>	45	5ch40	
					<u> </u>			, ,	2072	
			<u> </u>							
(Use reverse side of Well Of		9)	Method Cemen Distance	used 15ed by 5	ft. to	15 ft	. No. of sa	cks used		
☐ Turbine ☐ Jet ■ Submers	sible Cylinder	10)	SURFA	CE COMPLE	TION					
Depth to pump bowls, cylinder, jet, etc.	., 45 ft.		Spe	cified Surface	Slab Installed	(Rule 338.	44(2)(A)]			
			☐ Specified Steel Steeve Installed [Rule 338.44(3)(A)] ☐ Pitless Adapter Used [Rule 338.44(3)(b)]							
14) WELL TESTS: Type test: ■ Pump ☐ Bailer	☐ Jetted ☐ Estimated		_	•	ative Procedure U		338.71]			
Yield: 12 gpm with 27		44	WATER	R LEVEL:				<u> </u>		
15) WATER QUALITY:		FILETI	Static le	vel	ft. below lar	nd surface gpm.	Date_ Date_	3/30/	99	
Did you knowingly penetrate any strata constituents?	i which contained undestrable				SEQ			Doot	.	
_ ,	PORT OF UNDESIRABLE WATER"	4	PACKE	нь:			ype	Dept	n 	
Type of water? Was a chemical analysis made?		_ <u>EMP#</u>	QE	D 1 9 4	999 DESC C	0				
			95	r <u>1</u> 9	333					
I hereby certify that this well was drilled by runderstand that failure to complete items 1	thru 15 will result in the log(s) being	returned for co	of the standary	and resubmi	ittal.				ı	
COMPANY NAME Holmes WAtes	Well Deilling 4 Ser	vice Co.	WELL D	RILLER'S LI	CENSE NO.	130	1 W.	<u> </u>		
ADDRESS 290 KINGS	Pow or RFD)	Lun	n 6077 (City)	ton_		₹	State)	77 (Zi	657 P)	
(Signed) (Signed)	Holmen-		(Signed)	(Re					
	ed ₩≝ll Driller) lease attach electric log. chemical	analysis, and	l other p		,	-	onller Traine	e)		

 $\frac{1}{2} \left(\frac{1}{2} \right) \right) \right) \right) \right)}{1} \right) \right) \right)} \right) \right) \right) \right) \right) \right) \right) \right) \right) \right)} \right) \right)}$

· Q

Ed ...

13

्रा क्षेत्रका । अस्ति अस्ति । अस्ति 24

•

ATTENTION OWNER: Confidentiality Privilege Notice on on reverse side of Well Owner's copy (pink)		State WELL			т	Texas W	ater Well Drill MC P.O. Bo Austin, TX 512-23	177 x 13087 78711-3087	•
1) OWNER LIMPHEY, (Nai 2) ADDRESS OF WELL: County Quite SO A	BART me)	ADDRE			Park St (Street or RFD) Vette T				
County Jefferson	(Street, RFD	or other)	(City)	(State)	(Zip)	GRID# _Z	07 0	1 4
3) TYPE OF WORK (Check): New Well □ Deepening □ Reconditioning □ Plugging	l – –	` , _	-	☐ Pub	Environmental Soil lic Supply De- NRCC? Yes	• –	i i	5)	X
6) WELL LOG: Date Drilling: Started 3 - 30 1999 Completed 3-30 1999	DIAMETER O	t.) To (ft.)		☐ Air F ☐ Air F	NG METHOD (Che lotary m Mud R lammer	otary Bored			٨
From (ft.) To (ft.) Descript	tion and color of format	ay	1	☐ Und	le Completion (Cherreamed : G	ravel Packed [Other	Straight Wal	
14 - 34	CI	ay	CAS	ING, BL	ANK PIPE, AND V	/ELL SCREEN DA	TA:		
34 - 45	SAN	ν <u>ν</u>	Dia.	New or Used	Steel, Plastic, e Perf., Slotted, e Screen Mfg., if	tc.	Settir	ng (ft.)	Gage Casting Screen
	A 10-1	-	4 4	$\frac{\mathcal{N}}{\mathcal{N}}$	PUC PLAST PUC SCR	ic PIPE	0 35	35 45	seh41
(Use reverse side of Well Ow 13) TYPE PUMP:)		Cement Method Cement Distance	ed from O used Tu B ed by Sul- e to septic system f of verification of ab	ft. to	ft. No. of sa	cks used	
☐ Turbine ☐ Jet ■ Submersi ☐ Other Depth to pump bowls, cylinder, jet, etc.,				Spec	CE COMPLETION cified Surface Slab	-			
14) WELL TESTS: Type test: Pump Bailer Yield: 12 gpm with 27	☐ Jetted ☐ Estir ft. drawdown after	matedhrs.		☐ Pitle	ss Adapter Used oved Alternative Proceed LEVEL:	Rule 338.44(3)(b)	t		
15) WATER QUALITY: Did you knowingly penetrate any strata constituents?	which contained undesir			Static le Artesiar	velfl	. below land surface	e Date_ Date_	3-30	<u>-99</u>
☐ Yes ■ No If yes, submit "REF Type of water?	PORT OF UNDESIRABLE Depth of strata Yes No	E WATER"		PACKE		SEQ#	Туре	Depi	th
I hereby certify that this well was drilled by m understand that failure to complete items 1 the state of the	hru 15 will result in the lo	g(s) being réturné	ditol.cor	npletion	1999 atements herein are and resubmittal	e true to the best o		e and belief	. 1
COMPANY NAME HOLHES WATE	R Wall DRill, pe or print)	ng + Serv	ile	WELL D	RILLER'S LICENS	ENO. / 3	01 WI		
ADDRESS 290 KINGS X	٠, ١	· 1		,	,				1 500

 ${\bf Please\ attach\ electric\ log,\ chemical\ analysis,\ and\ other\ pertinent\ information,\ if\ available.}$

(Signed) _

(Registered Driller Trainee)

n de la companya de la co

•

•

23

Send organal copy by certified mail to: Texas Water Commission, P.O. Box 13087, Austin, Texas 78711 Please use black ink. Texas Water Well Drillers Board State of Texas ATTENTION OWNER: Confidentiality P.O. Box 13087 ♥rivilege Notice on Reverse Side **WELL REPORT** Austin, Texas 78711 BOUGREAUX ADDRESS (Zip) direction from Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form. ☐ LEGAL DESCRIPTION: Section No. . _ Block No. _____ Township _ _ Abstract No. _____ Survey Name _ Distance and direction from two intersecting section or survey lines __ ☐ SEE ATTACHED MAP 5) DRILLING METHOD (Check): 4) PROPOSED USE (Check): TYPE OF WORK (Check): □ Driven New Well ☐ Public Supply Mud Rotary Air Hammer Jetted Bored Domestic □ Deepening ☐ Industrial ☐ Monitor ☐ Reconditioning ☐ Plugging ☐ Irrigation ☐ Test Well ☐ Injection □ De-Watering ☐ Air Rotary ☐ Cable Tool ☐ Other BOREHOLE COMPLETION: DIAMETER OF HOLE WELL LOG: Date Drilling: Dia. (in.) From (ft.) To (ft.) Open Hole ☐ Straight Wall Underreamed Started Surface ☐ Gravel Packed Other _ Completed If Gravel Packed give interval . . . from ___ From (ft.) To (ft.) Description and color of formation material CASING, BLANK PIPE, AND WELL SCREEN DATA: New Steel, Plastie, etc. Setting (ft.) Gage Perf., Slotted, etc. Screen Mfg., if commercial Dia. Casting From Screen (in.) Used 10 CEMENTING DATA [Rule 287.44(1)] ft. No. of Sacks Used ft. No. of Sacks Used (Use reverse side if necessary) Cemented by 13) TYPE PUMP: ☐ Turbine ☐ Submersible ☐ Cylinder 10) SURFACE COMPLETION ☐ Other Specified Surface Slab Installed [Rule 287.44(2)(A)] Depth to pump bowls, cylinder, jet, etc., Specified Steel Sleeve Installed [Rule 287.44(3)(A)] 14) WELL TESTS: Pitless Adapter Used [Rule 287.44(3)(B)] ☐ Baller Approved Alternative Procedure Used [Rule 287.71] Type Test: Yield: _ apm with WATER LEVEL: 15) WATER QUALITY: Static level _ ft, below land surface Did you knowingly penetrate any strata which contained undesirable Artesian flow Date gpm. constituents? -If yes, submit "REPORT OF UNDEN AS LEWATER" PACKERS: Depth Type of water? _ D\No I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal. 10V6 WELL DRILLER'S LICENSE NO. **COMPANY NAME** (Type or print) **ADDRESS** (Street or RFD) (Zip) (Signed) (Licensed Well Driller) (Registered Driller Trainee) Please attach electric log, chemical analysis, and other pertinent information, if available. For TWC use only: Well No. Located on map

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING PRIVILEGE OF CONFIDENTIALITY


The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 60 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public-record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

From (ft.)	To (ft.) Description	and color of formation material
\		
, , ,		
	<u> </u>	· · · · · · · · · · · · · · · · · · ·
		The state of the s
15.		
		11 to 11.
	LAN TAR	V Tyka
	·	* + 1 · 2 · 2 · 2 · 2 · 2 · 2 · 2 · 2 · 2 ·
· \ \	1	· .
· · · · · · · · · · · · · · · · · · ·	 	
	1	

11-11-11



Attention Owner:

Confidentiality Privilege Notice on reverse side of owner's copy.

Texas Department of License and Regulation

Water Well Driller/Pump Installer Program

P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616 Toll free (800)803-9202

Email address: water.well@license.state.tx.us

This form must be completed and filed with the department and owner within 60 days upon completion of the well.

			<u>ELL REI</u>			andred francisco	Ministra de la Compagnia	Sidebus an anthorna a successiva	ET PARTY OF THE
	1146								
Name	Address		<u> </u>	itv			State	Zip	Tarres 1997
Mr. Raymond Audilet								Zip	
materica dication : - 5	apromina de la spanja de la sel de desenção para				2				
County Jefferson	Physical Addre	ess ure of LABa	1 A P	iy Beaum	ort		State	Zip	
3) Type of Work	Lat DG	57,75	Lo	ng. 9.4°	10.1	0	Grid# 6	4-01-	2
New Well Reconditioning		d Use (check)			•			5)	N↑
Replacement Deepening	ı · -	Irrigation				-		-,	
_ represented _ geopening	Rig Suppl					tted? Yes			
6) Drilling Date		ameter of Hole		Y		hod (check)			
Started 7 / 17 / 01	Dia.(in)	From (ft)	To (ft)	I—i		Mud Rotary			•
Started 17:17:01	Dia.(III)	Nom (ii)	 			Cable Too			
Completed 7 / 17 /6[Othe		Cable 100	Jenea		
Completed / / / / / / / / / / / / / / / / / / /									
From (ft) To (ft) Descrip	tion and cal	or of formation	matarial	R) Por	obolo Co	mnletion	Onen He	la M Straigh	+ W/o11
		or or iorniauon	i materiai			ned 🗖 Grav		le ¼ Straigh Other	t Waii
0 -120 cli	1,			If Grav	el Packed	give the interva	l from	ft. to	ft.
120 - 150 5	tuq_			Casii	- 	k Pipe, and		1	1
				Dia.	New Or	Steel, Plasti Perf., Slotte		Setting (ft)	Gage Casing
				(in.)	Used		., if commercial	From To	Screen
				Ч	7	DIAST	<u>ر</u>	0- 140	
	<u> </u>			4	N	210H	d	140-150	1.008
						ļ			<u> </u>
								1.	
				9) Cer	nenting	Data	15 .	# of sacks used	117
				Cemer	nting from	ftto	n <u>13</u> π. 1ft.	# of sacks used # of sacks used	''4
(Use reverse side of Wel				Method	Used K	di-Mi	1 Spar	# of sacks used	
13) Plugged Casing left in well: Cement/Bentonite		nours		Distance	e to septic s	system field or o	other concentrat	ed contamination	nft.
Casing left in well: Cement/Bentonite From (ft) To (ft) From (ft)	-	Γο (ft)	Sacks used	Method	of verificat	tion of above di	stance ND_S	ebyic Sin	stem_
				10) Su	rface Co	mpletion		1.01	1
	 			☐ Speci	fied Surfac	e Stabatastalled		375	-[
14) Type Pump					fied Surfac s Adapter U	e Sleeve Install	ict o 1 2	uni presuo	1
	Submersible [Cylinder				native Procedure		991	
Depth to pump bowls, cylinder, jet etc.,	VA			11) 337	-4 T	COMMENT	the state of the s	CÜ	1
15) Water Test	Y V ft.			Static le	ater Lev	el ft. below	-Date 7 / I	7/01	
Typetest Pump Bailer Jette				Artesian		gpm.			l .
Yield:gpm withft. draw 16) Water Quality	wdown after 17	hrs.		12) Pa	ckers	7	Гуре	Depth	
Did you knowingly penetrate a strata whi	ich contain unde	sirable constituents.		<u> </u>			Турс		
YES NO If yes, did you submit	a REPORT OF	UNDESIRABLE W	ATER	170	WE.				
Type of water Was a chemical analysis made Yes	Depth of S	trata			· · · · · · · · · · · · · · · · · · ·				
Company or individual's Name (ty	pe or print)	1. \:	1. \	<u> </u>	11 ~		Lic. No. 24	185 WI	
Address P.O. Box 82		WE24	Cit			šeru.	State \X	Zip 77	50
1 1 1	a.	n () n		A	and, n		<u> </u>	~ · · ·	- FIE
Signature County H. C.		· / / \ \		ignature 🗸	Ley K	remarks .	nam_		

IMPORTANT NOTICE FOR PERSONS HAVING WELL DRILLED CONCERNING CONFIDENTIALITY

Section 32.005 of the Texas Water Code, concerning confidentiality information in the Reporting of Well Reports, reads as follows:

Every licensed driller drilling, deepening, or otherwise altering a water well in this state shall make and keep a legible and accurate well log in accordance with department rule on forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department, the Texas Natural Resource Conservation Commission, and the owner of the well or the person for whom the well was drilled. The well log shall be recorded at the time of drilling and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size, and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or the person for whom the well was drilled.

From (ft)	To (ft)	Description and color of formation material
.,		
		.7
-		
	·	
. ; ;	*	

Attention Owner:

Confidentiality Privilege Notice on reverse side of owner's copy.

Texas Department of License and Regulation

Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616
Toll free (800)803-9202

Email address: water.well@license.state.tx.us

This form must be completed and filed with the department and owner within 60 days upon completion of the well.

	W	<u>ELL REP</u> (ORT			
1) OWNER	A. WELL TRADE					
Name A			<u> 31a(c </u>			
KAytettickiu	9209 BAYOUD	lin Rd	Beaumont /X 77705			
2) WELL LOCATION						
Tefferson	Physical Address SAM	e City	y State Zip			
3) Type of Work	Lat.	Long	g. Grid # 64 07 2			
New Well Reconditioning			Environmental Soil Boring Domestic 5) NT			
Replacement Deepening	1 <u></u> • •	_	Public Supply De-watering Testwell			
	I — "	-	well, were plans submitted? Yes No			
6) Drilling Date	Diameter of Hole		7) Drilling Method (check) Driven			
Started 5 / 8 / 0	Dia.(in) From (ft)	To (ft)	Air Rotary Mud Rotary Bored			
,	13/4 0	120	Air Hammer Cable Tool Detted			
Completed 5 / 8 / 01	43/4 120	165	Other			
	7 // 120	100				
From (ft) To (ft) Descri	ption and color of formation	material	8) Borehole Completion			
	peron and color of formation		☐ Under-reamed ☐ Gravel Packed ☐ Other			
0-140 CLAY		(S.C)	If Gravel Packed give the interval from ft. to ft.			
141-165 SAME	SILE ID		Casing, Blank Pipe, and Well Screen Data			
	The state of the s	DESC CO	New Steel, Plastic, etc. Setting (ft) Gage Dia. Or Perf., Slotted, etc Casing			
	EMP#	iproc oo	(in.) Used Screen Mfg., if commercial From To Screen			
	JULL MO COOL		3 N Plastic 0 120			
	MAN AND ITS IT	<u> </u>	1 1V Plastic, 120-145			
	COMMENT		2 N Slotted 145/65 8			
	THE RESERVE OF THE PARTY OF THE					
	·		9) Cementing Data			
			Cementing fromft. toft. # of sacks used			
(Use reverse side of We	ell Owner's copy, If necessary)		Method Used Agna Downed			
	ed within 48 hours		Cementing By			
Casing left in well: Cement/Bentonite From (ft) To (ft) From		Sacks used	Method of verification of above distance			
	1/4		10) Surface Completion			
	<u> </u>		☐ Specified Surface Slab Installed			
14) Type Pump	/		☐ Specified Surface Sleeve Installed ☐ Pitless Adapter Used			
	Submersible Cylinder		☐ Approved Alternative Procedure Used			
Other	80 ft.		11) Water Level			
15) Water Test	, it.		Static level 15 ft. below Date 5 / 9 / 0			
Typetest Pump Bailer Det			Artesian Flowgpm. Date/			
Yield: 25 gpm withft. dra 16) Water Quality	awdown afterhrs.		12) Packers Type Depth			
Did you knowingly penetrate a strata which contain undesirable constituents.						
YES NO If yes, did you submi	it a REPORT OF UNDESIRABLE W Depth of Strata	VATER	\\ \theta \\ \th			
Was a chemical analysis made Yes						
Company or individual's Name (t	ype or print) TOO 1/5	Puma	7/11/11/ SUM Lic. No. 483484)			
Address 235 Sham	nen nd	City				
111	>)	. 6	21:11-1-1			
Signature / // Conseq Plant Instal	57, 09	/ 0/ Sig	what 211 utsteller 5,09,01			
The state of the s	MAKE THE RESERVE TO T	Company of the Company	CONTRACTOR OF THE PROPERTY OF			

IMPORTANT NOTICE FOR PERSONS HAVING WELL DRILLED CONCERNING CONFIDENTIALITY

Section 32.005 of the Texas Water Code, concerning confidentiality information in the Reporting of Well Reports, reads as follows:

Every licensed driller drilling, deepening, or otherwise altering a water well in this state shall make and keep a legible and accurate well log in accordance with department rule on forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department, the Texas Natural Resource Conservation Commission, and the owner of the well or the person for whom the well was drilled. The well log shall be recorded at the time of drilling and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size, and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or the person for whom the well was drilled.

From (ft)	To (ft)	Description and color of formati	on material
		V-1.	· .
		in man	28
·			

'Attention Owner:

Confidentiality Privilege Notice on reverse side of owner's copy.

Texas Department of License and Regulation

Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616
Toll free (800)803-9202

Email address: water.well@license.state.tx.us

This form must be completed and filed with the department and owner within 60 days upon completion of the well.

		WELL RE		STREET BEAUTION OF THE STREET	ednami kalen izen menerioa balen iziloa era
1) OWNER	YELLER	Mark Mark		地外 多多的数	
Name	Address CRYSTAL LAKE	#,23	City	State	Zip
DANNY Koy	CRYSTAL LIAKE	CSTAPLES	plaumon	$\mathcal{I} = \bigcup_{i \in \mathcal{I}} X_i$	17662
2) WELL LOCATION	Physical Address		<u>City</u>	State	Zip
Jefferson	SAME			State	. Zip
3) Type of Work	Lat.		ong.	Grid#	4 07 2
New Well Reconditioning	4) Proposed Use (ch				5) N1
Replacement Deepening	1 —	_		De-watering Testwell	
	Rig Supply		oly well, were plans submit		•
6) Drilling Date	Diameter of	1		od (check) U Driven	l
Started <u>5/7/0</u>	Dia.(in) From (ft	To (ft)	Air Rotary	Mud Rotary Bored Cable Tool U Jetted	
Completed 5 / 7 / 01	43/4 0	190	Other	Cable 1001 Cabled	
<u> </u>					
From (ft) To (ft) Descrip	otion and color of form	nation material	8) Borehole Con	mpletion	ole straight Wall
0-125 CAY	ILE ID	TSEO #		ned Gravel Packed [rive the interval from	Otherft. toft.
126- 150 SAM	2			Pipe, and Well Scree	
		0850 CO	Dia. New	Steel, Plastic, etc. Perf., Slotted, etc	Setting (ft) Gage Casing
	JUL 0 6 20	201	(in.) Used	Screen Mfg., if commerci	, , ,
α	XMMENT	Ala	W	Plastic	0 140
The same	Control of the second s		- A 1V	51077401	140 150 6
•		The second secon			
			9) Cementing I	Data	
			Cementing from	ft. toft	. # of sacks used
(Use reverse side of Wel	ll Owner's copy, If necessary)		And powed	
13) Plugged	ed within 48 hours		Distance to septic sy	ystem field or other concentration	
From (ft) To (ft) From (Sacks used	Method of verificati	on of above distance	
1	VIPT		10) Surface Co Specified Surface		
			Specified Surface	Sleeve Installed	
14) Type Pump Turbine Jet	Submersible Cylinder	•	☐ Pitless Adapter U ☐ Approved Alterna	sed ative Procedure Used	•
Other	ft.		11) Water Leve		
15) Water Test			Static level 2	ft. below Date _5 /	7/01
Typetest Pump Bailer Jett Yield:gpm withft. dra		nrs.	Artesian Flow	gpm. Date/	
16) Water Quality		***	12) Packers	Туре	Depth
Did you knowingly penetrate a strata who YES NO If yes, did you submit	a REPORT OF UNDESIRA			X///	
Type of water				<u> </u>	
•		- 0		<u> </u>	CQ 101)
Company or individual's Name (ty	ype or print) 100	es Pup	uhámell	SUC Lic. No.	834PW
Address 235 Shown	non pol.	Ci	ty Vidoc	State X	Zip 7062
Signatur Jun Howes	5,	07 / 01	signatularis Huf	stetler	5,07,01
Lacensed Bridge/Pump install	er	Date:			

IMPORTANT NOTICE FOR PERSONS HAVING WELL DRILLED CONCERNING CONFIDENTIALITY

Section 32.005 of the Texas Water Code, concerning confidentiality information in the Reporting of Well Reports, reads as follows:

Every licensed driller drilling, deepening, or otherwise altering a water well in this state shall make and keep a legible and accurate well log in accordance with department rule on forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department, the Texas Natural Resource Conservation Commission, and the owner of the well or the person for whom the well was drilled. The well log shall be recorded at the time of drilling and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size, and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or the person for whom the well was drilled.

From (ft)	To (ft)	Description and color of formation material
		·
	•	

Attention Owner:

Confidentiality Privilege Notice on reverse side of owner's copy.

Texas Department of License and Regulation

Water Well Driller/Pump Installer Program

P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616 Toll free (800)803-9202

Email address: water.well@license.state.tx.us

This form must be completed and filed with the department and owner within 60 days upon completion of the well.

	WELL R		
	. A. WELL DEVINORABLE		
1) OWNER Name	Address	City	State Zip
JAMES C. ByRd	9207 BAYOU DIN	Beaumont	TX 77705
2) WELL LOCATION	the state of the s		
County Tellerson	Physical Address SAme—	City	State Zip
3) Type of Work	Lat.	Long.	Grid # 64 07 2
New Well Reconditioning	4) Proposed Use (check) Monito		
Replacement Deepening	Industrial Irrigation Injection	<u> </u>	
	l —	pply well, were plans submitted?	_
6) Drilling Date	Diameter of Hole	7) Drilling Method (check	
Started <u>5 / 25 / 01</u>	Dia.(in) From (ft) To (ft)		·
Started			· <u> </u>
Completed 5 / 25 / 0]	73/4 0 120	* _	Jetted
Completed 3 / 23 / 6 /	43/4 120 17	O Other	
From (ft) To (ft) Descrip	otion and color of formation materia		☐ Open Hole ☐ Straight Wall
0-145 CLA		☐ Under-reamed ☐ Gra If Gravel Packed give the inter	
146-170 54	/ ~ A	Casing, Blank Pipe, and	
140-110 28.	FILE ID	New Steel, Place	stic, etc. Setting (ft) Gage
	į	Dia. Or Perf., Slot	tted, etc Casing
	EMP# SG	CO!	fg., if commercial From To Screen
	JUL 0 6 2001		tic 0 120
	1 005 0 2001	- Z N Plas	tic 120 155
	COMMENT	$\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$	tted 155 170 6
(Use reverse side of We	Il Owner's copy, If necessary)	1 lear ft.	to 20 ft. # of sacks used 3
		Method Used THYA Cementing By	Omes /
13) Plugged	ed within 48 hours	Distance to septic system field o	r offier concentrated contaminationft.
From (ft) To (ft) From (-	Method of verification of above	distance
	XIANE	10) Surface Completion	
	10 4100	Specified Surface Slab Install	
14) Type Pump		✓ Specified Surface Sleeve Insta☑ Pitless Adapter Used	alled
	Submersible 🗖 Cylinder	☐ Approved Alternative Proced	ure Used
☐ Other	KO ft.	11) Water Level	
15) Water Test	A D II.	Static level 15 ft. below	Date 5 / 26/01
Typetest Pump Bailer D Jett		Artesian Flowgpn	n. Date / /
	wdown afterhrs.	12) Packers	Type Depth
16) Water Quality Did you knowjagly penetrate a strata wh	tich contain undesirable constituents.	12) Tackets	Type Depui
	a REPORT OF UNDESIRABLE WATER	\	<u>^) </u>
Type of water		-	<i>)</i> / <i>v</i>
·			1,0,,,0,,
Company or individual's Name (ty	ype or print) Jones Yump	o Well Suc	Lic. No. 4834 PW
Address 235 Sham	ion Rd	City Vidor	State [X Zip 77662
Signature Lind Lond	5,26,01	Gentaris Hufstetle	5 126,01
Licensed Joller Pump Install		Appropries	

IMPORTANT NOTICE FOR PERSONS HAVING WELL DRILLED CONCERNING CONFIDENTIALITY

Section 32.005 of the Texas Water Code, concerning confidentiality information in the Reporting of Well Reports, reads as follows:

Every licensed driller drilling, deepening, or otherwise altering a water well in this state shall make and keep a legible and accurate well log in accordance with department rule on forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department, the Texas Natural Resource Conservation Commission, and the owner of the well or the person for whom the well was drilled. The well log shall be recorded at the time of drilling and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size, and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or the person for whom the well was drilled.

From (ft)	To (ft) Description and color of formation material			
		45.		
	- ''			

ATTENTION OWNER: Confidentiality Privilege Notice on reverse side of Well Owner's copy (pink)

State of Texas WELL REPORT

Texas Department of Licensing & Regulation
P.O. Box 12157
Austin, TX 78711
512-463-7880

water.weil@l	icense.state.tx.us 512-463-7880						
1) OWNER HELMERICH & PAYNE, INC. ADDRE	ss 1579 E 21st ST Tulsa, Oklahoma 77114						
(Name)	(Street or RFD) (City) (State) (Zip)						
2) ADDRESS-OF WELL'S LOCATION: On LaBelle Rd beside Bo (Street, RFD or other) (City)	(State) (Zip) Grid # 4-07-2						
	fonitor						
	njection Public Supply De-watering Testwell						
	bmitted to the TNRCC? Yes No						
6) WELL LOG: DIAMETER OF HOLE Date Drilling: Dig. (in.) From (ft.) To (ft.)	7) DRILLING METHOD (Check): Driven						
Date Drilling: Started <u>May 10 20 00 Surface 180</u>	☐ Air Rotary ☐ Mud Rotary ☐ Bored ☐ Air Hammer ☐ Cable Tool ☐ Jetted						
Completed !! !! 20 !!	Other						
From (ft.) To (ft.) Description and color of formation material	8) Borehole Completion (Check):						
D 135 Class.	Underreamed Gravel Packed Other						
135 180 Sand	If Gravel Packed give interval fromft. toft.						
	CASING, BLANK PIPE, AND WELL SCREEN DATA:						
	New Steel, Plastic, etc. Setting (ft.) Gage Casing						
	(in.) Used Screen Mfg., if commercial From To Screen						
	44 Nas Plastic Slated 160 5440						
	7.00 7.00						
	9) CEMENTING DATA Cementedfrom ft. to 5 ft. No. of sacks used /0						
(Use reverse side of Well Owner's copy, if necessary)	ft. toft. No. of sacks used						
13) Well plugged within 48 hours Casing left in well: Cement/bentonite placed in well: Sacks used:	Method used Cemented by John E Bryson						
Casing left in well: Cement/bentonite placed in well: Sacks used: From (ft) To (ft) From (ft) To (ft)	Distance to septic system field lines or other concentrated contaminationft.						
	Method of verification of above distance						
14) TYPEPUMP:	10) SURFACE COMPLETION						
Turbine Jet 12-8dbmersible Cylinder	Specified Surface Slab Installed						
Other	☐ 85ecified Steel Sleeve Installed ☐ Pitless Adapter Used						
15) WELLTESTS:	Approved Alternative Procedure Used						
Typetest: Pump Bailer Jetted Estimated	11) WATER LEVEL:						
Yield: gpm with ft. drawdown after hrs. 16) WATER QUALITY:	Static level 10 ft. below land surface Date $\frac{May}{10}$ $\frac{10}{2000}$						
Did you knowingly penetrate any strata which contained undesirable	Artesian flow gpm. Date						
constituents? Yes Ano If yes, submit "REPORT OF UNDESIRABLE WATER"	12) PACKERS: FILE ID Type Depth						
Type of water? Depth of strata	ENP#1 0 % 2000						
Was a chemical analysis made? Yes No	400 40						
	that each and all of the statements herein are true and correct. I understand that failure resubmittal.						
COMPANY NAME B & L WATER WELL SERVICE, INC WELL DRILLER'S LICENSE NO. 1315-WI							
ADDRESS POBOX (Type or print) 213 Winn	ie Texas 77665						
Streetor RFD)	(City) (State) (Zip)						
(Signed) (Licensed Well Driller)	(Signed) (Registered Driller Apprentice)						
Please attach electric log, chemical analysis, and other pertinent information, if available.							

IMPORTANT NOTICE FOR PERSONS HAVINGWELLSDRILLEDCONCERNING CONFIDENTIALITY

Section 32.005 of the Texas Water Code, concerning confidential information in the Reporting of Well Logs, reads as follows:

"Every licensed driller drilling, deepening or otherwise altering a water well within this State shall make and keep a legible and accurate well log in accordance with the department rule on forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department and to the owner of the well or the person for whom the well was drilled. Each copy of a well log, other than a department copy must include the name, mailing address, and telephone number of the department. The well log shall be recorded at the time of drilling, and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or person for whom the well was drilled."

From (ft.)	To (ft.)	Description and color of formation material
		
<u> </u>		
1		

ATTENTION OWNER: Confidentiality Privilege Notice on reverse side of Well Owner's copy (pink)

State of Texas WELL REPORT

Texas Department of Licensing & Regulation
P.O. Box 12157
Austin, TX 78711
512-463-7880

O'BRIEN #2	water.well@l	icense.state.tx.us	512-463-7880			
1) OWNER HELMERICH & PAYNE, INC. ADDRESS 1579 E 21st ST Tulsa, Oklaho						
(Name) (Streetor RFD) (City) (State) (Zi 2) ADDRESS OF WELL'S LOCATION: County Jehners on South Series Sout						
County Jefferson	(Street, RFD or other) (City)	(State) (Zip)	Grid # 69-07-2			
3) TYPE OF WORK (Check):	(4) PROPOSED USE (Check):		Domestic 5)			
New Well Deepening	☐ Industrial ☐ Irrigation ☐ I	njection Public Supply De-wate	ering Testwell			
Reconditioning Plugging		ibmitted to the TNRCC? Yes] No			
6) WELL LOG:	DIAMETER OF HOLE	7) DRILLING METHOD (Check):	☐ Driven			
Date Drilling: Started Pt 29 20 00 11 11 11 11 11 11 11 11 11 11 11 11	Dia. (in.) From (ft.) To (ft.) 7 (8 Surface (6.6)	☐ Air Rotary ☐ Mittod Rotar				
Completed20		Other				
		9) Barahala Campletian (Chack).	Chan Hala C Straight Mail			
From (ft.) To (ft.) Descript	don and color of formation material	8) Borehole Completion (Check):				
121 160 5	and	If Gravel Packed give interval from				
		CASING, BLANK PIPE, AND WELL S	SCREEN DATA:			
		New Steel, Plastic, etc. Dia. or Perf., Slotted, etc.	Setting (ft.) Gage Casing			
		(in.) Used Screen Mfg., if comm	nercial From To Screen			
		4" Now Plastic	Stotted 140 160 016			
		7 10 40 1 143112 6	Stotted 140 160 016			
		9) CEMENTING DATA	/5 ft. No. of sacks used //			
(Use reverse side of Well Own	ner's copy, if necessary)	i — — —	ft. No. of sacks used			
13) Well plugged within 48 hours	Mahadanad					
	ite placed in well: Sacks used: To (ft)		or other concentrated containinationft.			
From (ft) To (ft) From (ft)	10 (tt) hamma	Method of verification of above dista				
14) TYPEPUMP:		10) SURFACE COMPLETION				
Turbine Jet Z-Submen	sible Cylinder	Specified Surface Slab Installed				
Other		Specified Steel Sleeve Installed				
Depth to pump bowls, cylinder, jet, et	ic., <u>65</u> ft.	☐ Pitless Adapter Used ☐ Approved Alternative Procedure	e Used			
15) WELLTESTS: Typetest: Pump Bailer	Jetted Estimated	11) WATER LEVEL:				
Yield:gpm withft. drawdown afterhrs. Static levelft. below land surface DateSept_ 29_2						
16) WATER QUALITY: Artesian flowgpm. Date Did you knowingly penetrate any strata which contained undesirable						
constituents?	nicircontained undesirable	12) PACKERS:	Type Depth			
	PORT OF UNDESIRABLE WATER" Depth of strata					
Was a chemical analysis made?	es No					
to complete items 1 thru 16 will result in the			in are true and correct. I understand that failure			
	eorprint) Winnie	Texas	E717685			
ADDRESS		(City)	(State) AN 2 6 207P) PEROCO			
(Signed) Hu 2 By 2		(Signed)	1			
(Licensed Well Driller) (Registered Driller Apprentice) (Regis						
FDLR FORM 001WWD (4/98)	White - TDLR Yellow - DR	· · · · · · · · · · · · · · · · · · ·	raliable.			

IMPORTANT NOTICE FOR PERSONS HAVINGWELLSDRILLEDCONCERNING CONFIDENTIALITY

Section 32.005 of the Texas Water Code, concerning confidential information in the Reporting of Well Logs, reads as follows:

"Every licensed driller drilling, deepening or otherwise altering a water well within this State shall make and keep a legible and accurate well log in accordance with the department rule on forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department and to the owner of the well or the person for whom the well was drilled. Each copy of a well log, other than a department copy must include the name, mailing address, and telephone number of the department. The well log shall be recorded at the time of drilling, and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or person for whom the well was drilled."

From (ft.)	To (ft.)	Description and color of formation material
<u> </u>		
······································		
<u></u>		

ATTENTION OWNER: Confidentiality



Texas Water Well Drillers Advisory Council

State of Texas MC 177 Privilege Notice on on reverse side P.O. Box 13087 of Well Owner's copy (pink) WELL REPORT Austin, TX 78711-3087 512-239-0530 (Zip) (Street, RFD or other) (State) PROPOSED USE (Check): ☐ Monitor ☐ Environmental Soil Boring 5) TYPE OF WORK (Check): New Well ☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell □ Deepening If Public Supply well, were plans submitted to the TNRCC? Yes ☐ Reconditioning Plugging **DIAMETER OF HOLE** 7) DRILLING METHOD (Check): WELL LOG: □ Driven From (ft.) ☐ Air Rotary ☐ Mud Rotary Date Drilling: ☐ Bored Started 11-12 Surface ☐ Air Hammer ☐ Cable Tool Other_ Ą É→Straight Wall Borehole Completion (Check): ☐ Open Hole From (ft.) To (ft.) Description and color of formation material ☐ Underreamed ☐ Gravel Packed ☐ Other_ _ft. If Gravel Packed give interval ... from _ ft. to CASING, BLANK PIPE, AND WELL SCREEN DATA: Steel, Plastic, etc. Setting (ft.) Gage Casting Perf., Slotted, etc. Dia Usęd From (in.) Screen Mfg., if commercial Screen ひ 000 60 CEMENTING DATA (R)11e 338.44(1)] ____ft. to ____ft, No. of sacks used _ Cemented from ft. to _____ ft. No. of sacks used Methodused Cemented by (Use reverse side of Well Owner's copy, if necessary) Distance to septic system field lines or other concentrated contamination 150ft. 13) TYPE PUMP: Method of verification of above distance _ ☐ Turbine ☐ Jet ☐ Submersible ☐ Cylinder 10) SURFACE CONFILE EDIV Specified Steel Sleeve Installed [Rule 338.44(2)(A)] [Rule 338.44(3)(A)] □ Other_ Depth to pump bowls, cylinder, jet, etc., ___ Pitlessonderte 997 [Rule 38.44(3)(b)] 14) WELLTESTS: Approved Alternative Procedure Used [Rule 338.71] TEXAS TRIE AT ON STATE IT. DELOW land surface CONSERVESION TO THE STATE OF THE STAT Type test: Pump Bailer Jetted Estimated ___ gpm with _____ ft. drawdown after ____ hrs. 15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents# 12) PACKERS: Depth Type It yes, sulfmit "REPORT OF UNDESTRABLE WATER ☐ Yes 💆 No Depth of strata Type of water? I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1/thru 15 will result in the log(s) being returned for completion and resubmittal. s water Well service WELL DRILLER'S LICENSE NO. (Zip) (City) (Signed)

Please attach electric log, chemical analysis, and other pertinent information, if available.

37

STANSORVATION OF THE STANSORVA